

## PRODUCT-DETAILS

# UVR T7-T7M-X1 240...250Va.c./d.c.

# UVR T7-T7M-X1 240...250Va.c./d.c.



## General Information

|                       |                                                 |
|-----------------------|-------------------------------------------------|
| Extended Product Type | UVR T7-T7M-X1 240...250Va.c./d.c.               |
| Product ID            | 1SDA062092R1                                    |
| EAN                   | 8015644646325                                   |
| Catalog Description   | UVR T7-T7M-X1 240...250Va.c./d.c.               |
| Long Description      | UNDERVOLTAGE RELEASE 240...250V AC-DC T7-T7M-X1 |

## Ordering

|                        |               |
|------------------------|---------------|
| EAN                    | 8015644646325 |
| Minimum Order Quantity | 1 piece       |
| Customs Tariff Number  | 85389099      |

## Dimensions

|                    |      |
|--------------------|------|
| Product Net Weight | 1 kg |
|--------------------|------|

## Container Information

|                         |         |
|-------------------------|---------|
| Package Level 1 Units   | 1 piece |
| Package Level 1 Width   | 105 mm  |
| Package Level 1 Height  | 55 mm   |
| Package Level 1 Depth / | 135 mm  |

## Length

|                              |               |
|------------------------------|---------------|
| Package Level 1 Gross Weight | 0.15 kg       |
| Package Level 1 EAN          | 8015644646325 |

## Additional Information

|                                 |                                      |
|---------------------------------|--------------------------------------|
| Configuration Type              | Loose or configurable                |
| Current Type                    | AC/DC                                |
| Product Main Type               | Accessories for Tmax T               |
| Product Name                    | Accessory                            |
| Product Type                    | ACC                                  |
| Rated Voltage (U <sub>r</sub> ) | 240 ... 250 V AC<br>240 ... 250 V DC |
| Standards                       | IEC                                  |
| Suitable For                    | T7, X1                               |
| Suitable for Product Class      | SACE Emax<br>SACE Tmax T             |

## Certificates and Declarations (Document Number)

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 1SDC210015D0201 |
| Declaration of Conformity - CE    | 1SDL000165R0001 |
| Environmental Information         | 1SDC210015D0201 |
| Instructions and Manuals          | 1SDC210015D0201 |
| RoHS Information                  | 1SDL000201R0001 |

## Classifications

|                            |                                                            |
|----------------------------|------------------------------------------------------------|
| ETIM 6                     | EC001022 - Under voltage coil                              |
| ETIM 7                     | EC001022 - Under voltage coil                              |
| Object Classification Code | Q                                                          |
| UNSPSC                     | 39120000                                                   |
| WEEE Category              | 5. Small Equipment (No External Dimension More Than 50 cm) |

## Categories

Low Voltage Products and Systems → Circuit Breakers → Air Circuit Breakers → Accessories for Emax

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax T

