

## PRODUCT-DETAILS

# AUP T7-T7M-X1 24Vd.c. (2INS+2TEST+2EXT)

# AUP T7-T7M-X1 24Vd.c. (2INS+2TEST+2EXT)



## General Information

|                       |                                                                                                      |
|-----------------------|------------------------------------------------------------------------------------------------------|
| Extended Product Type | AUP T7-T7M-X1 24Vd.c. (2INS+2TEST+2EXT)                                                              |
| Product ID            | 1SDA062110R1                                                                                         |
| EAN                   | 8015644646509                                                                                        |
| Catalog Description   | AUP T7-T7M-X1 24Vd.c. (2INS+2TEST+2EXT)                                                              |
| Long Description      | 6 POSITION CONTACTS C.BREAKERS INSERTED-TEST-EXTRACT V <(><<>> 24V DC<br>(2INS+2TEST+2EXT) T7-T7M-X1 |

## Ordering

|                        |               |
|------------------------|---------------|
| EAN                    | 8015644646509 |
| Minimum Order Quantity | 1 piece       |
| Customs Tariff Number  | 85389099      |

## Dimensions

|                    |      |
|--------------------|------|
| Product Net Weight | 1 kg |
|--------------------|------|

## Container Information

|                        |         |
|------------------------|---------|
| Package Level 1 Units  | 1 piece |
| Package Level 1 Width  | 135 mm  |
| Package Level 1 Height | 55 mm   |

|                                |               |
|--------------------------------|---------------|
| Package Level 1 Depth / Length | 145 mm        |
| Package Level 1 Gross Weight   | 0.03 kg       |
| Package Level 1 EAN            | 8015644646509 |

## Additional Information

|                                        |                        |
|----------------------------------------|------------------------|
| Configuration Type                     | Loose or configurable  |
| Number of Auxiliary Contacts CO (SPDT) | 1                      |
| Product Main Type                      | Accessories for Tmax T |
| Product Name                           | Accessory              |
| Product Type                           | ACC                    |
| Standards                              | IEC                    |
| Suitable For                           | X1                     |
| Suitable for Product Class             | SACE Emax              |

## Certificates and Declarations (Document Number)

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 1SDC200009D0201 |
| Declaration of Conformity - CE    | 1SDL000165R0001 |
| Environmental Information         | 1SDC200009D0201 |
| Instructions and Manuals          | 1SDC200009D0201 |
| RoHS Information                  | 1SDL000201R0001 |

## Classifications

|                            |                                                            |
|----------------------------|------------------------------------------------------------|
| ETIM 6                     | EC000041 - Auxiliary contact block                         |
| ETIM 7                     | EC000041 - Auxiliary contact block                         |
| Object Classification Code | Q                                                          |
| UNSPSC                     | 39120000                                                   |
| WEEE Category              | 5. Small Equipment (No External Dimension More Than 50 cm) |

## Categories

Low Voltage Products and Systems → Circuit Breakers → Air Circuit Breakers → Accessories for Emax

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax T

