

PRODUCT-DETAILS

Ekip G Touch LSIG In=400 XT5 3p

Ekip G Touch LSIG In=400 XT5 3p



General Information

| | |
|-----------------------|--|
| Extended Product Type | Ekip G Touch LSIG In=400 XT5 3p |
| Product ID | 1SDA100638R1 |
| EAN | 8056221007146 |
| Catalog Description | Ekip G Touch LSIG In=400 XT5 3p |
| Long Description | SOLID-STATE RELEASE THREE-POLE IN AC EKIP G TOUCH LSIG R 400 XT5 |

Ordering

| | |
|------------------------|---------------|
| EAN | 8056221007146 |
| Minimum Order Quantity | 1 piece |
| Customs Tariff Number | 85389099 |

Dimensions

| | |
|----------------------------|----------|
| Product Net Width | 120 mm |
| Product Net Height | 160 mm |
| Product Net Depth / Length | 190 mm |
| Product Net Weight | 1.395 kg |

Container Information

| | |
|-----------------------|---------|
| Package Level 1 Units | 1 piece |
|-----------------------|---------|

| | |
|--------------------------------|---------------|
| Package Level 1 Width | 120 mm |
| Package Level 1 Height | 180 mm |
| Package Level 1 Depth / Length | 225 mm |
| Package Level 1 Gross Weight | 1.559 kg |
| Package Level 1 EAN | 8056221007146 |

Environmental

| | |
|-------------------------|--|
| Ambient Air Temperature | Operation -40 ... 125 °C |
| RoHS Status | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |

Additional Information

| | |
|---------------------------------------|-------------------------|
| Circuit Breaker Type to be Associated | Generator Protection |
| Configuration Type | Loose or configurable |
| Current Type | AC |
| Number of Poles | 3 |
| Order Multiple | 1 piece |
| Product Main Type | Accessories for Tmax XT |
| Product Name | Accessory |
| Product Type | ACC |
| Rated Current (I _n) | 400 A |
| Release | Ekip G Touch LSIG |
| Release Type | EL |
| Standards | IEC 60947 |
| Suitable For | XT5 |

Certificates and Declarations (Document Number)

| | |
|-----------------------------------|------------------------------------|
| Data Sheet, Technical Information | 1SDC210100D0205 1SDC210099D0205 |
| Instructions and Manuals | 1SDH002039A1002 |

Classifications

| | |
|----------------------------|--|
| ETIM 7 | EC001023 - Shunt release (for power circuit breaker) |
| Object Classification Code | Q |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Tmax XT

