


PRODUCT-DETAILS

TMA 400-4000 XT5 4p InN=50%In

TMA 400-4000 XT5 4p InN=50%In



General Information

Extended Product Type	TMA 400-4000 XT5 4p InN=50%In
Product ID	1SDA100652R1
EAN	8056221007283
Catalog Description	TMA 400-4000 XT5 4p InN=50%In
Long Description	THERMOMAGNETIC RELEASE FOUR-POLE IN AC-DC TMA R 400 I3=2000...4000 A NEUTRAL = 50% PHASES XT5

Ordering

EAN	8056221007283
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Width	179 mm
Product Net Height	179 mm
Product Net Depth / Length	223 mm
Product Net Weight	1.05 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	120 mm
Package Level 1 Height	180 mm
Package Level 1 Depth / Length	225 mm
Package Level 1 Gross Weight	1.214 kg
Package Level 1 EAN	8056221007283

Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
-------------	--

Additional Information

Circuit Breaker Type to be Associated	Power Distribution
Configuration Type	Loose or configurable
Current Type	AC/DC
Number of Poles	4
Order Multiple	1 piece
Product Main Type	Accessories for Tmax XT
Product Name	Accessory
Product Type	ACC
Rated Current (I_n)	400 A
Release	TMA
Release Type	TM
Setting Range	280...400 A
Standards	IEC 60947
Suitable For	XT5

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	1SDC210100D0205 1SDC210099D0205
-----------------------------------	------------------------------------

Classifications

ETIM 7	EC001023 - Shunt release (for power circuit breaker)
Object Classification Code	Q
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Tmax XT

