

PRODUCT-DETAILS

Ekip G Hi-Touch LSIG In=250 XT5 4p

Ekip G Hi-Touch LSIG In=250 XT5 4p



General Information

Extended Product Type	Ekip G Hi-Touch LSIG In=250 XT5 4p
Product ID	1SDA100707R1
EAN	8056221007832
Catalog Description	Ekip G Hi-Touch LSIG In=250 XT5 4p
Long Description	SOLID-STATE RELEASE FOUR-POLE IN AC EKIP G HI-TOUCH LSIG R 250 XT5

Ordering

EAN	8056221007832
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Width	120 mm
Product Net Height	160 mm
Product Net Depth / Length	190 mm
Product Net Weight	1.85 kg

Container Information

Package Level 1 Units	1 piece
-----------------------	---------

Package Level 1 Width	120 mm
Package Level 1 Height	180 mm
Package Level 1 Depth / Length	225 mm
Package Level 1 Gross Weight	2.014 kg
Package Level 1 EAN	8056221007832

Environmental

Ambient Air Temperature	Operation -40 ... 125 °C
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Additional Information

Circuit Breaker Type to be Associated	Generator Protection
Configuration Type	Loose or configurable
Current Type	AC
Number of Poles	4
Order Multiple	1 piece
Product Main Type	Accessories for Tmax XT
Product Name	Accessory
Product Type	ACC
Rated Current (I _n)	250 A
Release	Ekip G Hi-Touch LSiG
Release Type	EL
Standards	IEC 60947
Suitable For	XT5

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	1SDC210100D0205 1SDC210099D0205
Instructions and Manuals	1SDH002039A1002

Classifications

ETIM 7	EC001023 - Shunt release (for power circuit breaker)
Object Classification Code	Q
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Tmax XT

