

PRODUCT-DETAILS

AUP-I XT5-XT6 P/W 3 Rack-in contacts 24V

AUP-I XT5-XT6 P/W 3 Rack-in contacts 24V



General Information

Extended Product Type	AUP-I XT5-XT6 P/W 3 Rack-in contacts 24V
Product ID	1SDA104816R1
EAN	8015644069087
Catalog Description	AUP-I XT5-XT6 P/W 3 Rack-in contacts 24V
Long Description	3 POSITION CONTACT IN CONNECTED V < 24V AC FOR BREAKER PLUG-IN/WITHDRAWABLE XT5-XT6

Ordering

EAN	8015644069087
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Width	105 mm
Product Net Height	55 mm
Product Net Depth / Length	135 mm
Product Net Weight	0.14 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	105 mm
Package Level 1 Height	55 mm
Package Level 1 Depth / Length	135 mm
Package Level 1 Gross Weight	0.147 kg
Package Level 1 EAN	8015644069087

Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
-------------	--

Additional Information

Configuration Type	Loose or configurable
Current Type	AC/DC
Number of Auxiliary Contacts CO (SPDT)	3
Order Multiple	1 piece
Product Main Type	Accessories for Tmax XT
Product Name	Accessory
Product Type	ACC
Standards	IEC, UL
Suitable For	XT5 XT6
Suitable for Product Class	SACE Tamx XT

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	1SDC210100D0206 1SDC210200D0206
Instructions and Manuals	2TFH000013A1001

Classifications

ETIM 6	EC000041 - Auxiliary contact block
ETIM 7	EC000041 - Auxiliary contact block
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax XT

