


PRODUCT-DETAILS

TMA 630-6300 XT6 3p

TMA 630-6300 XT6 3p



General Information

Extended Product Type	TMA 630-6300 XT6 3p
Product ID	1SDA107602R1
EAN	8015644102555
Catalog Description	TMA 630-6300 XT6 3p
Long Description	THERMOMAGNETIC RELEASE THREE-POLE IN AC-DC TMA R 630 I3=3150...6300 XT6

Ordering

EAN	8015644102555
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Width	158 mm
Product Net Height	158 mm
Product Net Depth / Length	188 mm
Product Net Weight	1 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	158 mm
Package Level 1 Height	158 mm
Package Level 1 Depth / Length	188 mm
Package Level 1 Gross Weight	1.1 kg
Package Level 1 EAN	8015644102555

Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
-------------	--

Additional Information

Circuit Breaker Type to be Associated	Power Distribution
Configuration Type	Loose or configurable
Current Type	AC/DC
Electrical Durability	120 cycles per hour 5000 cycle
Number of Poles	3
Order Multiple	1 piece
Product Main Type	Accessories for Tmax XT
Product Name	Accessory
Product Type	ACC
Rated Current (I_n)	630 A
Rated Operational Voltage	690 V AC 750 V DC
Release	TMA
Release Type	TM
Setting Range	441...630 A
Standards	IEC
Suitable For	XT6
Suitable for Product Class	SACE Tmax XT

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	1SDC210100D0206 1SDC210099D0206
-----------------------------------	------------------------------------

Classifications

ETIM 6	EC001023 - Shunt release (for power circuit breaker)
ETIM 7	EC001023 - Shunt release (for power circuit breaker)
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax XT

