

PRODUCT-DETAILS

XT5 P FP 630A 4p frame configurable

XT5 P FP 630A 4p frame configurable



General Information

Extended Product Type	XT5 P FP 630A 4p frame configurable
Product ID	1SDA112956R1
EAN	8056221030106
Catalog Description	XT5 P FP 630A 4p frame configurable
Long Description	VERSION SUITABLE FOR CONTINUOUS OPERATION AT 100% OF THE RATED CURRENT XT6 UL/CSA (LASER LABEL XT6 UL 4p 100%lu)

Ordering

EAN	8056221030106
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Width	360 mm
Product Net Height	340 mm
Product Net Depth / Length	380 mm
Product Net Weight	21.7 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	360 mm
Package Level 1 Height	340 mm
Package Level 1 Depth / Length	380 mm
Package Level 1 Gross Weight	21.7 kg
Package Level 1 EAN	8056221030106

Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
-------------	--

Additional Information

Configuration Type	Loose or configurable
Number of Poles	4
Order Multiple	1 piece
Product Main Type	Accessories for Tmax XT
Product Name	Accessory
Product Type	FP
Rated Uninterrupted Current (I _u)	630 A
Standards	IEC, UL
Sub-type	XT5
Suitable for Product Class	SACE Tmax XT
Terminal Connection Type	Plug-In Circuit-Breakers

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	1SDC210100D0206 1SDC210200D0206
Instructions and Manuals	2TFH000004A1001

Classifications

ETIM 6	EC002043 - Chassis part power circuit breaker
ETIM 7	EC002043 - Chassis part power circuit breaker
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax XT

