

600 mm

PRODUCT-DETAILS

Product Net Width

XRG160BS-185/10-4P

XRG160BS-185/10-4P Switch disconnector fuse



General Information	
Extended Product Type	XRG160BS-185/10-4F
Product ID	1SEP204486R3700
EAN	3800161650949
Catalog Description	XRG160BS-185/10-4P Switch disconnector fuse
Long Description	Four pole Switch Disconnector Fuse for 185mm busbar distance and 10mm busbar thickness
Ordering	
Customs Tariff Number	85363000
Country of Origin	Bulgaria (BG)
Popular Downloads	
Data Sheet, Technical Information	1SEC313002D0201
Instructions and Manuals	9AKK107492A8855
Mechanical Drawings	9AKK107680A0374

2

Product Net Height	100 mm
Product Net Depth / Length	335 mm
Product Net Weight	5.3 kg

Technical	
Rated Operational Current AC-22B (I _e)	(500 V) 160 A
Rated Impulse Withstand Voltage (U _{imp})	8 kV
Rated Insulation Voltage (U _i)	1 kV
Rated Operational Voltage	500 V AC
Power Loss	at Rated Load 33 W
Distance Between Phases	185 mm
Fuse Size	00T Lawson
Fuse System	British Standard
Operating Mode	Manual
Standards	IEC60947-3
Number of Poles	4
Degree of Protection	acc. to IEC 60529 Front IP41
Terminal Type	Bolt
Fuse Type	BS
Electronic Fuse Monitoring	No
Utilization Category	Switching of mixed resistive and inductive loads, including moderate overloads - occasional actuation (AC-22B)

Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Certificates and Declarations (Document Number)		
Declaration of Conformity - CE	1SCC311166D2701	
Instructions and	9AKK107492A8855	
Manuals		
RoHS Information	9AKK107991A2784	

Container Information	
Package Level 1 Units	box 1 piece
Package Level 1 Width	60 mm
Package Level 1 Depth / Length	340 mm
Package Level 1 Height	107 mm
Package Level 1 Gross Weight	5.58 kg

Classifications

040 - Fuse switch disconnector
(

EC001040 - Fuse switch disconnector

ETIM 7 WEEE Category

4. Large Equipment (Any External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems \rightarrow Fusegear \rightarrow Switch Disconnector Fuse

