

PRODUCT-DETAILS

Product Net Width

XRG250BS-185/10-4P

XRG250BS-185/10-4P Switch disconnector fuse



| Extended Product Type | XRG250BS-185/10-4F | |
|--------------------------------------|--|--|
| Product ID | 1SEP204487R3700 | |
| EAN | 3800161651519 | |
| Catalog Description | XRG250BS-185/10-4P Switch disconnector fuse | |
| Long Description | Four pole Switch Disconnector Fuse for 185mm busbar distance and 10mm busbar thickness | |
| Ordering | | |
| Customs Tariff Number | 85363000 | |
| Country of Origin | Bulgaria (B | |
| Popular Downloads | | |
| Data Sheet, Technical Information | 1SEC313002D0201 | |
| Instructions and Manuals | 9AKK107492A8856 | |
| | 9AKK107680A0386 | |

| Product Net Height | 150 mm |
|----------------------------|---------|
| Product Net Depth / Length | 335 mm |
| Product Net Weight | 8.75 kg |

| Technical | |
|---|--|
| Rated Operational Current AC-22B (I _e) | (500 V) 250 A |
| Rated Impulse Withstand Voltage (U _{imp}) | 8 kV |
| Rated Insulation Voltage (U _i) | 1 kV |
| Rated Operational Voltage | 500 V AC |
| Power Loss | at Rated Load 70 W |
| Distance Between Phases | 185 mm |
| Fuse Size | B2 |
| Fuse System | British Standard |
| Operating Mode | Manual |
| Standards | IEC60947-3 |
| Number of Poles | 4 |
| Degree of Protection | acc. to IEC 60529 Front IP41 |
| Terminal Type | Bolt |
| Fuse Type | BS |
| Electronic Fuse Monitoring | No |
| Utilization Category | Switching of mixed resistive and inductive loads, including moderate overloads - occasional actuation (AC-22B) |

Environmental

| RoHS Status | Following EU Directive 2011/65/EU |
|-------------|-----------------------------------|
|-------------|-----------------------------------|

| Certificates and Declarations (Document Number) | | |
|---|-----------------|--|
| Declaration of Conformity - CE | 1SCC311166D2701 | |
| Instructions and Manuals | 9AKK107492A8856 | |
| RoHS Information | 9AKK107991A2784 | |

| Container Information | | |
|---------------------------------|-------------|--|
| Package Level 1 Units | box 1 piece | |
| Package Level 1 Width | 60 mm | |
| Package Level 1 Depth / Length | 340 mm | |
| Package Level 1 Height | 160 mm | |
| Package Level 1 Gross Weight | 9.21 kg | |

| Clas | sifications | | | |
|------|-------------|--|--|--|
| | | | | |

| 01040 - Fuse switch disconnector |
|----------------------------------|
|) |

EC001040 - Fuse switch disconnector

WEEE Category

ETIM 7

4. Large Equipment (Any External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems \rightarrow Fusegear \rightarrow Switch Disconnector Fuse

