

PRODUCT-DETAILS

XLP00-4P-8BC

XLP00-4P-8BC Fuse Switch Disconnecter



General Information

Extended Product Type	XLP00-4P-8BC
Product ID	1SEP600115R0002
EAN	7025840086550
Catalog Description	XLP00-4P-8BC Fuse Switch Disconnecter
Long Description	XLP00,4-pole,160A, incl. 8 Bridge Clamps

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85389099
Country of Origin	China (CN)

Popular Downloads

Data Sheet, Technical Information	1SEC312012D0201
-----------------------------------	-----------------

Dimensions

Product Net Width	145 mm
Product Net Height	88 mm
Product Net Depth / Length	185 mm

Product Net Weight	0.99 kg
--------------------	---------

Technical

Rated Operational Current AC-22B (I_e)	(500 V) 160 A
Rated Impulse Withstand Voltage (U_{imp})	Main Circuit 8 kV
Rated Operational Voltage	500 V AC
Rated Frequency (f)	Main Circuit 50/60 Hz
Rated Conditional Short-Circuit Current (I_{nc})	(690 V) 50 kiloampere rms
Handle Type	Front cover 4P
Fuse Size	NH00 NH000
Fuse System	DIN
Standards	IEC60947-3
Special Functions	Not Included
Mounting Type	Baseplate
Number of Poles	4
Degree of Protection	IP30
Terminal Type	Cable Clamp
Device Type Manager (DTM)	Fuseswitchdisconnector
Fuse Type	NH
Electronic Fuse Monitoring	No

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	1SEP500050P0001
--------------------------------	-----------------

Container Information

Package Level 1 Units	shrink-wrap 1 piece
Package Level 1 Width	145 mm
Package Level 1 Depth / Length	185 mm
Package Level 1 Height	88 mm
Package Level 1 Gross Weight	0.99 kg
Package Level 1 EAN	7025840086550
Package Level 2 EAN	7025840086550

Classifications

Object Classification Code	S
ETIM 4	EC001040 - Fuse switch disconnector
ETIM 5	EC001040 - Fuse switch disconnector
ETIM 6	EC001040 - Fuse switch disconnector
ETIM 7	EC001040 - Fuse switch disconnector
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Fusegear → Fuse Switch Disconnectors → EasyLine

