PRODUCT-DETAILS

ZLBM1-3P-NOV

ZLBM1-3P-NOV Fuse switch disconnector

General Information

Extended Product Type	ZLBM1-3P-NOV
Product ID	1SEP620011R3010
EAN	7025840093633
Catalog Description	ZLBM1-3P-NOV Fuse switch disconnector
Long Description	ZLBM1-3P-NOV Fuse switch disconnector

Ordering

Customs Tariff Number	85389099
Country of Origin	Bulgaria (BG)

Popular Downloads

Data Sheet, Technical Information	1SEC312023D0201

Dimensions

Product Frame Size	Low
Product Net Width	99 mm
Product Net Height	662 mm
Product Net Depth / Length	185 mm

Product Net Weight	3.63 kg

Technical

Rated Operational Current AC-21B (I_e)	(690 V) 250 A (500 V) 250 A (400 V) 250 A (800 V) 200 A
Rated Operational Current AC-22B (I_e)	(500 V) 250 A (400 V) 250 A (800 V) 200 A
Rated Operational Current AC-23B (I_e)	(400V) 250 A
Rated Impulse Withstand Voltage (U_{imp})	Main Circuit 8 kV
Rated Insulation Voltage (U_i)	1000 V
Rated Operational Voltage	690 V AC
Handle Type	3P
Distance Between Phases	185 mm
Fuse Size	1
Standards	IEC60947-3
Number of Poles	3
Degree of Protection	Front IP30
Terminal Type	V-Clamp
Device Type Manager (DTM)	Fuseswitchdisconnector
Fuse Type	NH
Electronic Fuse Monitoring	No
Accessory Type	Without V-clamp Size 123

Environmental

RoHS Status	Following EU Directive 2011/65/EU

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	1SEP500046P0001
RoHS Information	9AKK107991A6284

Container Information

Package Level 1 Units	shrink-wrap 1 piece
Package Level 1 Gross Weight	3.8 kg
Package Level 1 EAN	7025840093633

Classifications

ETIM 4	EC001040 - Fuse switch disconnector
ETIM 5	EC001040 - Fuse switch disconnector
ETIM 6	EC001040 - Fuse switch disconnector
ETIM 7	EC001040 - Fuse switch disconnector

WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Fusegear → Fuse Switch Disconnectors → Inline II

Low Voltage Products and Systems → Industries → Solar power → 800V AC