

PRODUCT-DETAILS

ZLBM910A-3P-M12-MB

ZLBM910A-3P-M12-MB Fuse switch disconnecter



General Information

Extended Product Type	ZLBM910A-3P-M12-MB
Product ID	1SEP620053R3050
EAN	7025840093589
Catalog Description	ZLBM910A-3P-M12-MB Fuse switch disconnecter
Long Description	ZLBM910A-3P-M12-MB Fuse switch disconnecter

Ordering

Customs Tariff Number	85389099
Country of Origin	Bulgaria (BG)

Popular Downloads

Data Sheet, Technical Information	1SEC312023D0201
-----------------------------------	-----------------

Dimensions

Product Frame Size	Low
Product Net Width	99 mm
Product Net Height	662 mm
Product Net Depth / Length	185 mm

Product Net Weight	7.3 kg
--------------------	--------

Technical

Rated Operational Current AC-21B (I _e)	(400 V) 910 A
Rated Operational Current AC-22B (I _e)	(400 V) 910 A
Rated Operational Current AC-23B (I _e)	(400V) 910 A
Rated Impulse Withstand Voltage (U _{imp})	Main Circuit 8 kV
Rated Insulation Voltage (U _i)	1000 V
Rated Operational Voltage	400 V AC
Handle Type	3P
Distance Between Phases	185 mm
Fuse Size	3-910A
Standards	IEC60947-3
Number of Poles	3
Degree of Protection	Front IP30
Terminal Type	Bolt
Device Type Manager (DTM)	Fuseswitchdisconnector
Fuse Type	NH, gTr
Electronic Fuse Monitoring	No

Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	1SEP500046P0001
RoHS Information	9AKK107991A6284

Container Information

Package Level 1 Units	shrink-wrap 1 piece
Package Level 1 EAN	7025840093589

Classifications

ETIM 4	EC001040 - Fuse switch disconnector
ETIM 5	EC001040 - Fuse switch disconnector
ETIM 6	EC001040 - Fuse switch disconnector
ETIM 7	EC001040 - Fuse switch disconnector
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Fusegear → Fuse Switch Disconnectors → Inline II

