


## PRODUCT-DETAILS

**P9MSLZ5L****SELECTOR SWITCH P9MSLZ5L****General Information**

Extended Product Type	P9MSLZ5L
Product ID	1SFA184626R9104
EAN	7320500522356
Catalog Description	SELECTOR SWITCH P9MSLZ5L
Long Description	SELECTOR SWITCH 3-POS ILLUMINATED SHORT HANDLE BLUE MAINTAINED/MOMENTARY

**Ordering**

E-Number (Finland)	2314777
EAN	7320500522356
Minimum Order Quantity	10 piece
Customs Tariff Number	8536501990

**Dimensions**

Product Net Width	29.7 mm
Product Net Height	44.5 mm
Product Net Depth / Length	80.7 mm
Product Net Weight	0.058 kg

---

**Container Information**


---

Package Level 1 Units	box 1 piece
Package Level 1 Width	41 mm
Package Level 1 Height	41 mm
Package Level 1 Depth / Length	80 mm
Package Level 1 Gross Weight	0.058 kg
Package Level 1 EAN	7320500519387

---



---

**Environmental**


---

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
-------------	--

---



---

**Additional Information**


---

Actuator Type	Short handle
Bezel Material	Satin Chrome Metal
Color	Blue
Degree of Protection	Front IP66
Function	Maintained/Momentary
Illumination	Illuminated
Maintained Positions	A, B
Product Main Type	P9MS
Product Name	Selector Switch
Spring Return From	C to B
Sub-Function	3-position
Sub-Function 2	CAM Z

---



---

**Certificates and Declarations (Document Number)**


---

BV Certificate	2CMT2019-005867
CB Certificate	2CMT2019-005872
CSA Certificate	2CMT2019-005868
Data Sheet, Technical Information	1SFC151007C02__
Declaration of Conformity - CE	2CMT2019-005862
DNV GL Certificate	2CMT2019-005876
Instructions and Manuals	1SFC151011M0201
RINA Certificate	2CMT2019-005866
RoHS Information	2CMT2019-005862
UL Certificate	2CMT2019-005868

---



---

**Classifications**


---

ETIM 7	EC000222 - Front element for selector switch
UNSPSC	39121500
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.0 : 27371213

---

---

## Categories

---

Low Voltage Products and Systems → Control Products → Pilot Devices → Modular Metal Range P9M

