


PRODUCT-DETAILS

P9MSLZ5I

SELECTOR SWITCH P9MSLZ5I



General Information

Extended Product Type	P9MSLZ5I
Product ID	1SFA184628R9108
EAN	7320500522363
Catalog Description	SELECTOR SWITCH P9MSLZ5I
Long Description	SELECTOR SWITCH 3-POS ILLUMINATED SHORT HANDLE CLEAR MAINTAINED/MOMENTARY

Ordering

E-Number (Finland)	2314778
EAN	7320500522363
Minimum Order Quantity	10 piece
Customs Tariff Number	8536501990

Dimensions

Product Net Width	29.7 mm
Product Net Height	44.5 mm
Product Net Depth / Length	80.7 mm
Product Net Weight	0.06 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	41 mm
Package Level 1 Height	41 mm
Package Level 1 Depth / Length	80 mm
Package Level 1 Gross Weight	0.06 kg
Package Level 1 EAN	7320500519370

Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
-------------	--

Additional Information

Actuator Type	Short handle
Bezel Material	Satin Chrome Metal
Color	Clear
Degree of Protection	Front IP66
Function	Maintained/Momentary
Illumination	Illuminated
Maintained Positions	A, B
Product Main Type	P9MS
Product Name	Selector Switch
Spring Return From	C to B
Sub-Function	3-position
Sub-Function 2	CAM Z

Certificates and Declarations (Document Number)

BV Certificate	2CMT2019-005867
CB Certificate	2CMT2019-005872
CSA Certificate	2CMT2019-005868
Data Sheet, Technical Information	1SFC151007C02__
Declaration of Conformity - CE	2CMT2019-005862
DNV GL Certificate	2CMT2019-005876
Instructions and Manuals	1SFC151011M0201
RINA Certificate	2CMT2019-005866
RoHS Information	2CMT2019-005862
UL Certificate	2CMT2019-005868

Classifications

ETIM 7	EC000222 - Front element for selector switch
UNSPSC	39121500
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Control Products → Pilot Devices → Modular Metal Range P9M

