
PRODUCT-DETAILS

P9MLRD

PILOT LIGHT P9MLRD



General Information

Extended Product Type	P9MLRD
Product ID	1SFA184791R9001
EAN	7320500522745
Catalog Description	PILOT LIGHT P9MLRD
Long Description	PILOT LIGHT DIFFUSED LENS RED

Ordering

E-Number (Finland)	2314792
EAN	7320500522745
Minimum Order Quantity	10 piece
Customs Tariff Number	8536501990

Dimensions

Product Net Width	29.7 mm
Product Net Height	44.5 mm
Product Net Depth / Length	40 mm
Product Net Weight	0.05 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	41 mm
Package Level 1 Height	41 mm
Package Level 1 Depth / Length	80 mm
Package Level 1 Gross Weight	0.05 kg
Package Level 1 EAN	7320500517178

Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
-------------	--

Additional Information

Actuator Type	Diffused lens
Color	Red
Degree of Protection	Front IP66
Illumination	Illuminated
Product Main Type	P9ML
Product Name	Pilot Light

Certificates and Declarations (Document Number)

BV Certificate	2CMT2019-005867
CB Certificate	2CMT2019-005872
CSA Certificate	2CMT2019-005868
Data Sheet, Technical Information	1SFC151007C02_
Declaration of Conformity - CE	2CMT2019-005862
DNV GL Certificate	2CMT2019-005876
Instructions and Manuals	1SFC151011M0201
RINA Certificate	2CMT2019-005866
RoHS Information	2CMT2019-005862
UL Certificate	2CMT2019-005868

Classifications

ETIM 7	EC000223 - Front element for indicator light
UNSPSC	39121500
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.0 : 27371211

Categories

Low Voltage Products and Systems → Control Products → Pilot Devices → Modular Metal Range P9M

