

PRODUCT-DETAILS

KS70-1204

KS70-1204 Siren element



General Information

Extended Product Type	KS70-1204
Product ID	1SFA616073R1204
EAN	7320500202524
Catalog Description	KS70-1204 Siren element
Long Description	KS70-1204 Siren Element Multi Function 8 diff. Tones Adjustable volumn 100dB 230VAC

Ordering

E-Number (Finland)	2313787
E-Number (Sweden)	5373410
EAN	7320500202524
Minimum Order Quantity	1 piece
Customs Tariff Number	85369001

Dimensions

Product Net Width	0.07 m
Product Net Height	0.07 m
Product Net Depth / Length	0.05 m
Product Net Weight	0.12 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	0.055 m
Package Level 1 Height	0.075 m
Package Level 1 Depth / Length	0.075 m
Package Level 1 Gross Weight	0.12 kg
Package Level 1 EAN	7320500202524

Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
-------------	--

Additional Information

Accessory Type	Signal towers and beacons
Degree of Protection	Front IP54
Function	Siren element
Product Main Type	KS70
Product Name	Siren element
Product Range	Not applicable
Product Type	KS
Rated Operational Voltage	230 V AC
RoHS Date	06.01.01
Sub-Function	8 different tone, adjustable
Sub-Function 2	100 dB
Upper Button Text	SIRENEELEMENT MULTIF.KS70-1204 230VAC

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	1SFC151007C02__
Declaration of Conformity - CE	2CMT2015-005456
Environmental Information	1SFC151006D0201
Instructions and Manuals	1SFC151011M0201
RoHS Information	2CMT2015-005456

Classifications

ETIM 4	EC002024 - Accessories for control circuit devices
ETIM 5	EC002024 - Accessories for control circuit devices
ETIM 6	EC001261 - Acoustic module for signal tower
ETIM 7	EC001261 - Acoustic module for signal tower
Object Classification Code	P
UNSPSC	39120000
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.0 : 27371237

Categories

Low Voltage Products and Systems → Control Products → Pilot Devices → Signal Towers and Beacons

