

PRODUCT-DETAILS

KA2-2132

KA2-2132 LED bulb



General Information

Extended Product Type	KA2-2132
Product ID	1SFA616921R2132
EAN	7320500549872
Catalog Description	KA2-2132 LED bulb
Long Description	LED bulb - Green - Rated Voltage 110-130 V, AC - Rated Current 4-6 mA - Service Life 25 000 h

Ordering

E-Number (Finland)	2339217
E-Number (Sweden)	8383612
EAN	7320500549872
Minimum Order Quantity	20 piece
Customs Tariff Number	8539500000

Dimensions

Product Net Width	0.01 m
Product Net Height	0.01 m
Product Net Depth / Length	0.025 m
Product Net Weight	0.004 kg

Container Information

Package Level 1 Units	box 20 piece
Package Level 1 Width	0.06 m
Package Level 1 Height	0.01 m
Package Level 1 Depth / Length	0.025 m
Package Level 1 Gross Weight	0.08 kg
Package Level 1 EAN	7320500201152

Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
-------------	--

Additional Information

Accessory Type	LED and filament bulbs
Color	Green
Illumination	Illuminated
Lamp Type	LED Ba9s
Luminance	500...850 millicandela
Product Main Type	KA2
Product Name	LED bulb
Product Range	Compact and Modular range
Product Type	KA
Rated Current (I _n)	4...6 mA
Rated Operational Voltage	110 ... 130 V AC
RoHS Date	0609 3
Service Life	25000 HUR
Suitable For	CL
Wave Length (λ)	525 nm

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	1SFC151007C02__
Declaration of Conformity - CE	2CMT2015-005456
Environmental Information	1SFC151005D0201
Instructions and Manuals	1SFC151011M0201
RoHS Information	2CMT2015-005456

Classifications

ETIM 4	EC002024 - Accessories for control circuit devices
ETIM 5	EC002024 - Accessories for control circuit devices
ETIM 6	EC001019 - Single LED
ETIM 7	EC000399 - Indication- and signalling lamp
Object Classification Code	E
UNSPSC	39121500
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.0 : 27110631

Categories

Low Voltage Products and Systems → Control Products → Pilot Devices → Accessories

