

PRODUCT-DETAILS

CP1-30R-01-L

PUSHBUTTON CP1-30R-01-L



General Information

Extended Product Type	CP1-30R-01-L
Product ID	1SFA619100L3041
ABB Type Designation	CP1-30R-01-L
EAN	7320500550359
Catalog Description	PUSHBUTTON CP1-30R-01-L
Long Description	Red flush pushbutton, not illuminated,momentary with 1 NC contact and metal bezel

Ordering

EAN	7320500550359
Minimum Order Quantity	10 piece
Customs Tariff Number	8536501999

Dimensions

Product Net Width	0.03 m
Product Net Height	0.03 m
Product Net Depth / Length	0.055 m
Product Net Weight	0.032 kg

Container Information

Package Level 1 Units	bag 10 piece
Package Level 1 Width	0.1 m
Package Level 1 Height	0.03 m
Package Level 1 Depth / Length	0.1 m
Package Level 1 Gross Weight	0.032 kg
Package Level 1 EAN	7320500363317

Environmental

Ambient Air Temperature	Operation -25 ... +70 °C Storage -40 ... +85 °C
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Additional Information

Actuator Type	Flush
Bezel Material	Chrome Plastic
Block	1NC
Color	Red
Connection Type	Screw Clamp
Degree of Protection	Front IP66 Front IP67 Front IP69K Terminals IP20
Function	Momentary
Illumination	Non-illuminated
Mechanical Durability	0.5 million
Number of Auxiliary Contacts NC	1
Product Main Type	CP1
Product Name	Pushbutton
Product Range	Compact
Product Type	CP
Rated Frequency (f)	50 / 60 Hz
Rated Operational Current AC-15 (I _e)	(240 V) 1 A
Rated Operational Current DC-13 (I _e)	(24 V) 0.3 A (125 V) 0.2 A
Rated Operational Voltage	24 ... 300 V
RoHS Date	0626 5

Certificates and Declarations (Document Number)

CCC Certificate	2003010305054693_
CQC Certificate	CQC2003010305054693
cURus Certificate	UL_E496500-20171020
Data Sheet, Technical Information	1SFC151007C02_
Declaration of Conformity - CCC	2020980305001187
Declaration of Conformity - CE	2CMT2015-005451
DNV GL Certificate	9AKK107046A3749
Environmental Information	1SFC151009D0201
Instructions and	1SFC151011M0201

Manuals

RoHS Information	2CMT2015-005451
------------------	-----------------

Classifications

ETIM 4	EC002611 - Control switch
ETIM 5	EC001028 - Push button, complete
ETIM 6	EC001028 - Push button, complete
ETIM 7	EC001028 - Push button, complete
Object Classification Code	S
UNSPSC	39121500
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.0 : 27371228

Categories

Low Voltage Products and Systems → Control Products → Pilot Devices → Compact Range

