

PRODUCT-DETAILS

CP3-13R-01

PUSHBUTTON CP3-13R-01 220V AC/DC



General Information

Extended Product Type	CP3-13R-01
Product ID	1SFA619102R1341
EAN	7320500552957
Catalog Description	PUSHBUTTON CP3-13R-01 220V AC/DC
Long Description	Compact Pushbutton - Momentary - Extended - Red - Illuminated - Black plastic - 1NC

Ordering

E-Number (Finland)	2312153
E-Number (Norway)	4372625
E-Number (Sweden)	3717284
EAN	7320500552957
Minimum Order Quantity	10 piece
Customs Tariff Number	8536501999

Dimensions

Product Net Width	0.03 m
Product Net Height	0.03 m
Product Net Depth / Length	0.06 mm
Product Net Weight	0.025 kg

Container Information

Package Level 1 Units	bag 10 piece
Package Level 1 Width	0.1 m
Package Level 1 Height	0.03 m
Package Level 1 Depth / Length	0.1 m
Package Level 1 Gross Weight	0.253 kg
Package Level 1 EAN	7320500381786
Package Level 2 Units	bag 10 piece
Package Level 2 Width	0.1 mm
Package Level 2 Height	0.03 mm
Package Level 2 Depth / Length	0.1 mm
Package Level 2 Gross Weight	0.253 kg

Environmental

Ambient Air Temperature	Operation -25 ... +70 °C Storage -40 ... +85 °C
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Additional Information

Actuator Type	Extended
Additional Information	III. PB
Bezel Material	Black Plastic
Block	1NC
Color	Red
Connection Type	Screw Clamp
Degree of Protection	Front IP66 Front IP67 Front IP69K Terminals IP20
Function	Momentary
Illumination	Illuminated
Lamp Type	LED 220V AC/DC
Lens Color	Red
Lower Button Color	Red
Mechanical Durability	0.5 million
Number of Auxiliary Contacts NC	1
Number of Auxiliary Contacts NO	0
Order Multiple	1 piece
Product Main Type	CP3
Product Name	Pushbutton
Product Range	Compact
Product Type	CP
Rated Frequency (f)	50 / 60 Hz
Rated Operational Current AC-15 (I _e)	(120 V) 1.5 A (240 V) 1 A
Rated Operational Current DC-13 (I _e)	(24 V) 0.3 A (125 V) 0.2 A
Rated Operational Voltage	220 V AC/DC
RoHS Date	0626 5

Certificates and Declarations (Document Number)	
CB Certificate	CQC_CN_CN50749
CCC Certificate	2010010305427787
CQC Certificate	CQC2003010305054693
cURus Certificate	UL_E496500-20171020
Data Sheet, Technical Information	1SFC151007C02__
Declaration of Conformity - CCC	2020980305001187
Declaration of Conformity - CE	2CMT2015-005451
DNV GL Certificate	9AKK107046A3749
Environmental Information	1SFC151009D0201
Instructions and Manuals	1SFC151011M0201
RoHS Information	2CMT2015-005451

Classifications	
ETIM 4	EC002024 - Accessories for control circuit devices
ETIM 5	EC001028 - Push button, complete
ETIM 6	EC001028 - Push button, complete
ETIM 7	EC001028 - Push button, complete
Object Classification Code	S
UNSPSC	39121500
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.0 : 27371228

Categories

Low Voltage Products and Systems → Control Products → Pilot Devices → Compact Range

