

PRODUCT-DETAILS

OBOA2000-24VDC

OBOA2000-24VDC Optocoupler R600 A1-A2=24VDC,10-230VAC/25 mA-2 A, Triac



General Information

Extended Product Type	OBOA2000-24VDC
Product ID	1SNA645029R0600
EAN	4013614507960
Catalog Description	OBOA2000-24VDC Optocoupler R600 A1-A2=24VDC,10-230VAC/25 mA-2 A, Triac
Long Description	Screw optocoupler OBOA2000-24VDC: 24VDC Rated control supply voltage/ solid-state output rated 10-230VAC, 25 mA up to 2 A with integrated LED

Ordering

Minimum Order Quantity	5 piece
Customs Tariff Number	85369095

Popular Downloads

Data Sheet, Technical Information	2CDC110004C0210_05
Instructions and Manuals	1SVC645000M9000

Dimensions

Product Net Width	12 mm
Product Net Height	67.5 mm

Product Net Depth / Length	70 mm
Product Net Weight	0.04 kg

Technical

Function	Boxed optocoupler R600
Output	solid-state output
Output Signal	10 ... 230VAC / 25 mA ... 2 A
Rated Control Supply Voltage (U _s)	24 V DC
Terminal Type	Screw Terminals

Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Certificates and Declarations (Document Number)

CCC Certificate	CCC_2017010303938926
CQC Certificate	CQC_2017010303941444
CSA Certificate	CSA_254821
cUR Certificate	cUR_E352056
Declaration of Conformity - CCC	CCC_2020980303000253
Declaration of Conformity - CE	1SVD982016-0001
EAC Certificate	EAC_RU_C-FR.ME77.B.01634
Instructions and Manuals	1SVC645000M9000
LR Certificate	LR_16_20068
RoHS Information	1SVD982016-0001
UR Certificate	UR_E352056

Container Information

Package Level 1 Units	box 5 piece
Package Level 1 Width	73 mm
Package Level 1 Height	71 mm
Package Level 1 Depth / Length	80 mm
Package Level 1 Gross Weight	0.24 kg
Package Level 1 EAN	3472596450298

Classifications

Object Classification Code	K
ETIM 4	EC001504 - Optocoupler
ETIM 5	EC001504 - Optocoupler
ETIM 6	EC001504 - Optocoupler
ETIM 7	EC001504 - Optocoupler
eClass	V11.0 : 27371604
UNSPSC	32111705
E-Number (Finland)	2712059

Low Voltage Products and Systems → Control Products → Electronic Relays and Controls → Interface Relays and Optocouplers

