

**PRODUCT-DETAILS** 

## CR-U012DC3LD

# CR-U012DC3LD Pluggable interface relay 3c/o, A1-A2=12VDC, 250V/10A, LED



General	Info	ormation

Catalan Dannintian	CD 11012D C21 D Diversible interference and 2.2 /- A1 A2-12/DC 250V/10A LED
EAN	4013614537394
Product ID	1SVR405622R4400
Extended Product Type	CR-U012DC3LD

Catalog Description

CR-U012DC3LD Pluggable interface relay 3c/o, A1-A2=12VDC, 250V/10A, LED

The CR-U012DC3LD pluggable interface relay is from the CR-U (universal) relay range. This relay operates with a 12 V DC rated control supply voltage and has 3 c/o (SPDT) output contacts rated at 250 V / 10 A. The relay has an integrated blue test button for manual actuation and locking of the output contacts and an integrated LED and Diode. Standard sockets, logic sockets, pluggable function modules, holder and marker are available as accessories.

Long Description

### **Ordering**

Minimum Order Quantity	10 piece
Customs Tariff Number	85364900

#### **Popular Downloads**

Data Sheet, Technical Information	2CDC110004C0210_05
Instructions and	1SVC405600M9000
Manuals	

#### **Dimensions**

Product Net Width	35 mm
Product Net Height	54 mm
Product Net Depth / Length	35 mm
Product Net Weight	0.083 kg

Technical	
Function	Pluggable universal interface relay CR-U
Sub-Function	Relay with built in LED and Diode
Output	3 c/o (SPDT) contacts
Output Signal	250 V / 10 A
Rated Control Supply Voltage (U <sub>s</sub> )	12 V DC

Certificates and Declarations (Document Number)	
CQC Certificate	CQC2017010303949759
CSA Certificate	CSA_1587291
Declaration of Conformity - CCC	2020980303000199
Declaration of Conformity - CE	1SVD982021-0003
EAC Certificate	EAC_RU_C-DE.ME77.B.00446-19
Instructions and Manuals	1SVC405600M9000
LR Certificate	LR_05_20002_E5
RMRS Certificate	RMRS_1740019277
RoHS Information	1SVD982021-0003
UR Certificate	UR_E244330
VDE Certificate	VDE_40019116

Container Information	
Package Level 1 Units	box 10 piece
Package Level 1 Width	182 mm
Package Level 1 Height	76 mm
Package Level 1 Depth / Length	77 mm
Package Level 1 Gross Weight	0.87 kg
Package Level 1 EAN	4013614537684

Classifications	
Object Classification Code	K
ETIM 5	EC001437 - Switching relay
ETIM 6	EC001437 - Switching relay
ETIM 7	EC001437 - Switching relay
eClass	V11.0 : 27371601
UNSPSC	39122331

CR-U012DC3LD 3

## Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Control\ Products \rightarrow Electronic\ Relays\ and\ Controls \rightarrow Interface\ Relays\ and\ Optocouplers$ 

