

PRODUCT-DETAILS

CR-U060AC3

CR-U060AC3 Pluggable interface relay 3c/o,
A1-A2=60VAC, 250V/10A



General Information

Extended Product Type	CR-U060AC3
Product ID	1SVR405622R5200
EAN	4013614498671
Catalog Description	CR-U060AC3 Pluggable interface relay 3c/o, A1-A2=60VAC, 250V/10A
Long Description	CR-U060AC3 Pluggable interface relay 3c/o, A1-A2=60VAC, 250V/10A

Ordering

Minimum Order Quantity	10 piece
Customs Tariff Number	85364900

Popular Downloads

Data Sheet, Technical Information	2CDC110004C0210_05
Instructions and Manuals	1SVC405600M9000

Dimensions

Product Net Width	35 mm
Product Net Height	54.4 mm
Product Net Depth /	35 mm

Length

Product Net Weight	0.083 kg
--------------------	----------

Technical

Function	Pluggable universal interface relay CR-U
Sub-Function	Relay w/o built in LED
Output	3 c/o (SPDT) contacts
Output Signal	250 V / 10 A
Rated Control Supply Voltage (U _s)	60 V AC

Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Certificates and Declarations (Document Number)

CCC Certificate	CCC_2017010303949759
CQC Certificate	CQC2017010303949759
Declaration of Conformity - CCC	2020980303000199
Declaration of Conformity - CE	1SVD982021-0003
EAC Certificate	EAC_RU_C-DE.ME77.B.00446-19
Environmental Information	1SAA981009-2401
Instructions and Manuals	1SVC405600M9000
LR Certificate	LR_05_20002_E5
RoHS Information	1SVD982021-0003
UR Certificate	UR_E244330
VDE Certificate	VDE_40019116

Container Information

Package Level 1 Units	box 10 piece
Package Level 1 Width	182 mm
Package Level 1 Height	76 mm
Package Level 1 Depth / Length	77 mm
Package Level 1 Gross Weight	0.87 kg
Package Level 1 EAN	4013614403842

Classifications

Object Classification Code	K
ETIM 4	EC001437 - Switching relay
ETIM 5	EC001437 - Switching relay
ETIM 6	EC001437 - Switching relay
ETIM 7	EC001437 - Switching relay
eClass	V11.0 : 27371601
UNSPSC	39122331

Categories

Low Voltage Products and Systems → Control Products → Electronic Relays and Controls → Interface Relays and Optocouplers

