

**PRODUCT-DETAILS** 

## CP-D 24/4.2

# CP-D 24/4.2 Power supply In: 100-240VAC Out: 24VDC/4.2A



General	Information	
Extended D	radust Typa	

Extended Product Type	CP-D 24/4.2
Product ID	1SVR427045R0400
EAN	4016779661195
Catalog Description	CP-D 24/4 2 Power supply In: 100-240VAC Out: 24VDC/4 2A

atalog Description CP-D 24/4.2 Power supply In: 100-240VAC Out: 24VDC/4.2

Long Description

The CP-D 24/4.2 is a power supply from the CP-D range. The primary switch mode power supply offers a wide range input of 90-264 V AC and 120-375 V DC, rated input voltage is 100-240 V AC. The rated output power is 100 W, rated output current is 4.2 A at an output voltage of 24 V DC. The output voltage is adjustable within a range of 24 to 28 V DC. The power supply provides a U/I output characteristic.

### Ordering

EAN	4016779661195
Customs Tariff Number	85044090
Minimum Order Quantity	1 piece
E-Number (Finland)	2712081
E-Number (Sweden)	5218730

#### **Dimensions**

Product Net Depth / Length	57.5 mm
Product Net Height	91 mm
Product Net Width	89.9 mm

Product Net Weight 0.386 kg

Container Information		
Package Level 1 Units	box 1 piece	
Package Level 1 EAN	4016779661195	
Package Level 1 Depth / Length	134 mm	
Package Level 1 Height	105 mm	
Package Level 1 Width	91 mm	
Package Level 1 Gross Weight	0.449 kg	

Technical	
Ambient Air	Operation -40 +70 °C
Temperature	Storage -40 +85 °C
Degree of Protection	Housing IP20
	Terminals IP20

Certificates and Declarations (Document Number)	
Data Sheet, Technical Information	2CDC114057D0201
Instructions and Manuals	1SVC427043M0000
Declaration of Conformity - CE	1SVD982033
RoHS Information	1SVD982033

Environmental	
RoHS Status	Following EU Directive 2011/65/EU

Classifications		
ETIM 5	EC002540 - DC-power supply	
ETIM 6	EC002540 - DC-power supply	
ETIM 7	EC002540 - DC-power supply	
eClass	V11.0 : 27040701	
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)	
UNSPSC	39121004	
IDEA Granular Category Code (IGCC)	4130 >> DC-power supply	

### Categories

CP-D 24/4.2 3

