

PRODUCT-DETAILS

CM-IWM.11

CM-IWM.11 Insulation monitoring relay 2c/o, 1-250kOhm,0.02-20MOhm, 24VDC



General Information

Extended Product Type	CM-IWM.11
Product ID	1SVR470670R1100
EAN	4013614515323
Catalog Description	CM-IWM.11 Insulation monitoring relay 2c/o, 1-250kOhm,0.02-20MOhm, 24VDC
Long Description	CM-IWM.11 Insulation monitoring relay 2c/o, 1-250kOhm,0.02-20MOhm, 24VDC System leakage capacitance 3000 µF

Ordering

EAN	4013614515323
Minimum Order Quantity	1 piece
Customs Tariff Number	85364900

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	170 mm
Package Level 1 Height	145 mm
Package Level 1 Depth / Length	126 mm
Package Level 1 Gross Weight	0.62 kg
Package Level 1 EAN	4013614515323

Dimensions

Product Net Width	90 mm
Product Net Depth / Length	121 mm
Product Net Height	90 mm
Product Net Weight	0.5 kg

Technical

Function	Unearthed mixed AC / DC systems Up to 1500 V DC Up to 1100 V AC Unearthed AC systems Unearthed DC systems Unearthed AC and DC systems
Measuring Range	20 ... 2000kOhm
Rated Control Supply Voltage (U _s)	24 V DC
Output	2 c/o (SPDT) contacts
System Leakage Capacitance (C _E)	3000 µF
Terminal Type	Screw Terminals

Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	2CDC112243D0201
Declaration of Conformity - CE	1SVD981048-0002
EAC Certificate	EAC_RU_C-DE.ME77.B.03204
Instructions and Manuals	1SVC470510M0000
RoHS Information	1SVD981048-0002

Classifications

ETIM 5	EC001444 - Insulation and earth fault monitoring relay
ETIM 6	EC001444 - Insulation and earth fault monitoring relay
ETIM 7	EC001444 - Insulation and earth fault monitoring relay
eClass	V11.0 : 27371807
E-Number (Finland)	2712549

Categories

Low Voltage Products and Systems → Control Products → Electronic Relays and Controls → Insulation Monitors

