

HDC IP68 HP 24B X2 AS S**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

The RockStar[®] HighPower housings are manufactured from high-strength die-cast aluminium and offer perfect protection against harsh environmental conditions thanks to continual optimisation. The multi-part housing gives users the opportunity to examine work processes down to the last step in the workflow.

General ordering data

Order No.	2001720000
Type	HDC IP68 HP 24B X2 AS S
GTIN (EAN)	4050118384291
Qty.	1 pc(s).

HDC IP68 HP 24B X2 AS S**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data**Dimensions and weights**

Height	260 mm	Height (inches)	10.236 inch
Length	228 mm	Length (inches)	8.976 inch
Net weight	4,336 g	Width	183 mm
Width (inches)	7.205 inch		

Temperatures

Limit temperature	-40 °C ... 120 °C
-------------------	-------------------

General data

Series	HighPower
--------	-----------

Version

Surface finish	Powder coating	Type of connection	Crimp contact
----------------	----------------	--------------------	---------------

Classifications

ETIM 6.0	EC002641	ETIM 7.0	EC002641
ECLASS 9.0	27-44-03-06	ECLASS 9.1	27-44-01-90
ECLASS 10.0	27-44-03-06	ECLASS 11.0	27-44-03-06

Approvals

ROHS	Conform
------	---------

Downloads

Engineering Data	STEP
Engineering Data	EPLAN

HDC IP68 HP 24B X2 AS S

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings

