

PRODUCT-DETAILS

# 204210-3

## RING TERM CU 12-4 AWG 3/8 STUD



### General Information

Extended Product Type	204210-3
Product ID	7TAI029020R0002
EAN	5414363111597
Catalog Description	RING TERM CU 12-4 AWG 3/8 STUD
Long Description	Insulation Piercing Magnet Wire Ring Terminal, Length 1.58 Inches, Width .81 Inches, Length of Teeth .61 Inches, Width of Teeth .53 Inches, Stud Size 3/8 Inch, Wire Range #12 AWG - #4 AWG 10,380 Circular Mil Area - 52,480 Circular Mil Area, Copper Alloy, Tin Plated

### Ordering

EAN	5414363111597
-----	---------------

### Dimensions

Product Net Length	0, mm
--------------------	-------

### Container Information

Package Level 1 Units	100 piece
Package Level 1 Width	4.5 in 114 mm
Package Level 1 Height	3 in

	76 mm
Package Level 1 Depth / Length	5 in 127 mm
Package Level 2 Units	500 piece
Package Level 2 Width	8.8 in 224 mm
Package Level 2 Height	7 in 178 mm
Package Level 2 Depth / Length	10.4 in 264 mm

## Additional Information

Application	For aluminum to copper, aluminum to aluminum or copper to copper magnet wire connections.
Brand / Label	Sta-Kon
Effective Date	19691016
Material	Copper
Number of Batteries	0
Product Name	STA-KON AND CATAMOUNT TERMINAL
Product Type	Ring Terminal
Special Functions	Designed to penetrate magnet wire insulation during application, eliminating the need for stripping, brazing, welding or other methods of joining magnet wire.
Standards	UL E9809
UPC	786210867748

## Certificates and Declarations (Document Number)

Data Sheet, Technical Information	204210-3
Instructions and Manuals	204210-3

## Classifications

ETIM 6	EC001052 - Solderless copper terminals for copper conductors
ETIM 7	EC001052 - Solderless copper terminals for copper conductors
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

## Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

