

PRODUCT-DETAILS

# 204210S

## INSUL PRC WIRE SPLICE CU 12-4 AWG



### General Information

Extended Product Type	204210S
Product ID	7TAI029010R0002
EAN	5414363077084
Catalog Description	INSUL PRC WIRE SPLICE CU 12-4 AWG
Long Description	Insulation Piercing Magnet Wire Splice, Length .69 Inches, Width .53 Inches, Height .53 Inches, Wire Range #12 AWG - #4 AWG 10,380 Circular Mil Area - 52,480 Circular Mil Area, Copper Alloy, Tin Plated

### Ordering

EAN	5414363077084
-----	---------------

### Dimensions

Product Net Length	0, mm
--------------------	-------

### Container Information

Package Level 1 Units	100 piece
Package Level 1 Width	4 in 102 mm
Package Level 1 Height	3 in 76 mm

Package Level 1 Depth / Length	4 in 102 mm
Package Level 2 Units	500 piece
Package Level 2 Width	8.7 in 221 mm
Package Level 2 Height	6.8 in 173 mm
Package Level 2 Depth / Length	10.2 in 259 mm

---

### Additional Information

Application	For aluminum to copper, aluminum to aluminum or copper to copper magnet wire connections.
Brand / Label	Sta-Kon
Effective Date	19690409
Material	Copper
Number of Batteries	0
Product Name	ELECTRICAL TERMINAL
Product Type	Splice
Special Functions	Designed to penetrate magnet wire insulation during application, eliminating the need for stripping, brazing, welding or other methods of joining magnet wire.
Standards	UL E9809
Surface Finishing	Tin Plated
UPC	786210867755

---

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	204210S
Instructions and Manuals	204210S

---

### Classifications

ETIM 6	EC001059 - Crimp splices for copper conductor
ETIM 7	EC001059 - Crimp splices for copper conductor
UNSPSC	39121449
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4669 >> Wire or cable compression splice

---

### Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

