

PRODUCT-DETAILS

214420

CONN. INSULATION PRC SPLICES .43X.2



General Information

Extended Product Type	214420
Product ID	7TAI029010R0009
EAN	5414363935438
Catalog Description	CONN. INSULATION PRC SPLICES .43X.2
Long Description	Connector Insulation Piercing Splices .43x.25x.22, - CMA

Ordering

EAN	5414363935438
-----	---------------

Dimensions

Product Net Length	0, mm
--------------------	-------

Container Information

Package Level 1 Units	1000 piece
Package Level 1 Width	4 in 102 mm
Package Level 1 Height	3 in 76 mm
Package Level 1 Depth / Length	4 in 102 mm

Package Level 2 Units	10000 piece
Package Level 2 Width	8.5 in 216 mm
Package Level 2 Height	3.5 in 89 mm
Package Level 2 Depth / Length	21.5 in 546 mm

Additional Information

Application	For aluminum to copper, aluminum to aluminum or copper to copper magnet wire connections.
Brand / Label	Sta-Kon
Effective Date	19670807
Material	Copper
Number of Batteries	0
Product Name	STA-KON AND CATAMOUNT TERMINAL
Product Type	Splice
Special Functions	Designed to penetrate magnet wire insulation during application, eliminating the need for stripping, brazing, welding or other methods of joining magnet wire.
Surface Finishing	Tin Plated
UPC	786210867625

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	214420
Instructions and Manuals	214420

Classifications

ETIM 6	EC001059 - Crimp splices for copper conductor
ETIM 7	EC001059 - Crimp splices for copper conductor
UNSPSC	39121449
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4669 >> Wire or cable compression splice

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

