

PRODUCT-DETAILS

220006

INSUL PRC WIRE SPLICE CU 16-12 AWG



General Information

Extended Product Type	220006
Product ID	7TAI029020R0011
EAN	5414363111832
Catalog Description	INSUL PRC WIRE SPLICE CU 16-12 AWG
Long Description	Insulation Piercing Magnet Wire Splice, Length .47 Inches, Width .25 Inches, Height .19 Inches, Wire Range #16 AWG - #12 AWG 5,162 Circular Mil Area - 12,330 Circular Mil Area, Copper Alloy, Tin Plated

Ordering

EAN	5414363111832
-----	---------------

Dimensions

Product Net Length	0, mm
--------------------	-------

Container Information

Package Level 1 Units	2500 piece
Package Level 1 Width	0.9 in 23 mm
Package Level 1 Height	10.5 in 267 mm

Package Level 1 Depth / Length	10.5 in 267 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	3.9 in 99 mm
Package Level 2 Height	10.8 in 274 mm
Package Level 2 Depth / Length	10.7 in 272 mm

Additional Information

Application	For aluminum to copper, aluminum to aluminum or copper to copper magnet wire connections.
Brand / Label	Sta-Kon
Effective Date	19751216
Material	Copper
Number of Batteries	0
Product Name	ELECTRICAL TERMINAL
Product Type	Splice
Special Functions	Designed to penetrate magnet wire insulation during application, eliminating the need for stripping, brazing, welding or other methods of joining magnet wire.
Standards	UL E9809
Surface Finishing	Tin Plated
UPC	786210875705

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	220006
Instructions and Manuals	220006

Classifications

ETIM 6	EC001059 - Crimp splices for copper conductor
ETIM 7	EC001059 - Crimp splices for copper conductor
UNSPSC	39121449
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4669 >> Wire or cable compression splice

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

