

PRODUCT-DETAILS

220015

INSUL PRC WIRE SPLICE CU 10-6 AWG



General Information

Extended Product Type	220015
Product ID	7TAI029010R0010
EAN	5414363077107
Catalog Description	INSUL PRC WIRE SPLICE CU 10-6 AWG
Long Description	Insulation Piercing Magnet Wire Splice, Length 1.50 Inches, Width .88 Inches, Height .77 Inches, Wire Range #10 AWG - #6 AWG 50,000 Circular Mil Area - 115,000 Circular Mil Area, Copper Alloy, Tin Plated

Ordering

EAN	5414363077107
-----	---------------

Dimensions

Product Net Length	0, mm
--------------------	-------

Container Information

Package Level 1 Units	50 piece
Package Level 1 Width	4 in 102 mm
Package Level 1 Height	4 in 102 mm

Package Level 1 Depth / Length	6 in 152 mm
Package Level 2 Units	250 piece
Package Level 2 Width	6.6 in 168 mm
Package Level 2 Height	5.2 in 132 mm
Package Level 2 Depth / Length	21.5 in 546 mm

Additional Information

Application	For aluminum to copper, aluminum to aluminum or copper to copper magnet wire connections.
Brand / Label	Sta-Kon
Effective Date	19730905
Material	Copper
Number of Batteries	0
Product Name	STA-KON AND CATAMOUNT TERMINAL
Product Type	Splice
Special Functions	Designed to penetrate magnet wire insulation during application, eliminating the need for stripping, brazing, welding or other methods of joining magnet wire.
Standards	UL E9809
Surface Finishing	Tin Plated
UPC	786210855516

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	220015
Instructions and Manuals	220015

Classifications

ETIM 6	EC001059 - Crimp splices for copper conductor
ETIM 7	EC001059 - Crimp splices for copper conductor
UNSPSC	39121449
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4669 >> Wire or cable compression splice

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

