

PRODUCT-DETAILS

22F086

FORK TERM CU 16-12 AWG NO8 STUD



General Information

Extended Product Type	22F086
Product ID	7TAI029030R0016
EAN	5414363111986
Catalog Description	FORK TERM CU 16-12 AWG NO8 STUD
Long Description	Insulation Piercing Magnet Wire Fork Terminal, Length .91 Inches, Width .30 Inches, Length of Teeth .45 Inches, Width of Teeth .25 Inches, Stud Size 8, Wire Range #16 AWG - #12 AWG 2,580 Circular Mil Area - 12,330 Circular Mil Area, Copper Alloy, Tin Plated

Ordering

EAN	5414363111986
-----	---------------

Dimensions

Product Net Length	0, mm
--------------------	-------

Container Information

Package Level 1 Units	1000 piece
Package Level 1 Width	3.3 in 84 mm
Package Level 1 Height	4.69 in 119 mm

Package Level 1 Depth / Length	6.3 in 160 mm
Package Level 2 Units	5000 piece
Package Level 2 Width	8.7 in 221 mm
Package Level 2 Height	7.2 in 183 mm
Package Level 2 Depth / Length	10.5 in 267 mm

Additional Information

Application	For aluminum to copper, aluminum to aluminum or copper to copper magnet wire connections.
Brand / Label	Sta-Kon
Effective Date	19791127
Material	Copper
Number of Batteries	0
Product Name	STA-KON AND CATAMOUNT TERMINAL
Product Type	Fork Terminal
Special Functions	Designed to penetrate magnet wire insulation during application, eliminating the need for stripping, brazing, welding or other methods of joining magnet wire.
Standards	UL E9809
UPC	786210848679

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	22F086
Instructions and Manuals	22F086

Classifications

ETIM 6	EC001052 - Solderless copper terminals for copper conductors
ETIM 7	EC001052 - Solderless copper terminals for copper conductors
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

