

PRODUCT-DETAILS

22L002

INSUL PRC WIRE SPLICE CU 24-15 AWG



Общая информация

Тип расширенного изделия	22L002
Идентификационный номер изделия	7TAI029030R0019
Европейский товарный код (EAN)	5414363112013
Описание в каталоге	INSUL PRC WIRE SPLICE CU 24-15 AWG
Длинное описание	Insulation Piercing Magnet Wire Splice, Length .32 Inches, Width .25 Inches, Height .19 Inches, Wire Range #24 AWG - #15 AWG 2,048 Circular Mil Area - 9,110 Circular Mil Area, Copper Alloy, Tin Plated

Ordering

Европейский товарный код (EAN)	5414363112013
--------------------------------	---------------

Dimensions

Чистая длина изделия	0, mm
----------------------	-------

Container Information

Package Level 1 Units	1000 штука
-----------------------	------------

Package Level 1 Width	4 in 102 mm
Package Level 1 Height	3 in 76 mm
Package Level 1 Depth / Length	4 in 102 mm
Package Level 2 Units	5000 штука
Package Level 2 Width	4.4 in 112 mm
Package Level 2 Height	3.5 in 89 mm
Package Level 2 Depth / Length	21.5 in 546 mm

Additional Information

Применение	For aluminum to copper, aluminum to aluminum or copper to copper magnet wire connections.
Торговая марка/ярлык	Sta-Kon
Дата вступления в силу	19770803
Материалы	Copper
Number of Batteries	0
Название изделия	ELECTRICAL TERMINAL, SPLICE
Тип изделия	Splice
Специальные функции	Designed to penetrate magnet wire insulation during application, eliminating the need for stripping, brazing, welding or other methods of joining magnet wire.
Стандарты	UL E9809
Surface Finishing	Tin Plated
Универсальный код товара (UPC)	786210892474

Certificates and Declarations (Document Number)

Технические данные	22L002
Инструкции и руководства	22L002

Classifications

ETIM 6	EC001059 - Crimp splices for copper conductor
ETIM 7	EC001059 - Crimp splices for copper conductor
Универсальная стандартная классификация товаров и услуг (UNSPSC)	39121449
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4669 >> Wire or cable compression splice

Категории

Низковольтное оборудование → Системы прокладки и защиты кабелей → Wire Management and Connectivity → Compression & Mechanical Connectors

