

3.2 in

3.2 in

81 mm

PRODUCT-DETAILS

22L008

Package Level 1 Width

Package Level 1 Height

INSUL PRC WIRE SPLICE CU 18-14 AWG



General Information	
Extended Product Type	22L008
Product ID	7TAI029010R0015
EAN	5414363112037
Catalog Description	INSUL PRC WIRE SPLICE CU 18-14 AWG
Long Description	Insulation Piercing Magnet Wire Splice, Length .70 Inches, Width .50 Inches, Height .35 Inches, Wire Range #18 AWG - #14 AWG 12,960 Circular Mil Area - 30,550 Circular Mil Area, Copper Alloy, Tin Plated
Oud suits a	
Ordering	
EAN	5414363112037
Dimensions	
Product Net Length	0, mm
Container Information	
Package Level 1 Units	100 piece

Package Level 1 Depth / Length	3.7 in 94 mm
Package Level 2 Units	1000 piece
Package Level 2 Width	6.9 in 175 mm
Package Level 2 Height	4.3 in 109 mm
Package Level 2 Depth / Length	16.4 in 417 mm

Additional Information	
Application	For aluminum to copper, aluminum to aluminum or copper to copper magnet wire connections.
Brand / Label	Sta-Kon
Effective Date	19810330
Material	Copper
Number of Batteries	0
Product Name	STA-KON AND CATAMOUNT TERMINAL
Product Type	Splice
Special Functions	Designed to penetrate magnet wire insulation during application, eliminating the need for stripping, brazing, welding or other methods of joining magnet wire.
Standards	UL E9809
Surface Finishing	Tin Plated
UPC	786210066554

Certificates and Declarations (Document Number)		
Data Sheet, Technical Information	22L008	
Instructions and Manuals	22L008	

Classifications		
ETIM 6	EC001059 - Crimp splices for copper conductor	
ETIM 7	EC001059 - Crimp splices for copper conductor	
UNSPSC	39121449	
WEEE Category	Product Not in WEEE Scope	
IDEA Granular Category Code (IGCC)	4669 >> Wire or cable compression splice	

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Compression\ \&\ Mechanical\ Connectors$

22L008 3

