

**HDC MBUS8 M AWG22****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Compact**

The new two-pole bus module is extremely compact and can accommodate both megabit and gigabit data inserts. It enables the connection of 2 Gigabit Cat 6A cables (10 gigabit) to one module.

**General ordering data**

Version	
Order No.	<a href="#">2565960000</a>
Type	HDC MBUS8 M AWG22
GTIN (EAN)	4050 11857581 1
Qty.	100 pc(s).

## HDC MBUS8 M AWG22

**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Technical data

### Dimensions and weights

Net weight 0.001 g

### Temperatures

Limit temperature -40 °C ... 90 °C

### Environmental Product Compliance

REACH SVHC Lead 7439-92-1

### General data

Contact surface	Gold-plated	Plugging cycles	≥ 100
Rated current	0.5 A	Transmission rate	10 Gbps
Type	Pin		

### Classifications

ETIM 6.0	EC000796	ETIM 7.0	EC000796
ECLASS 9.0	27-44-02-04	ECLASS 9.1	27-44-02-04
ECLASS 10.0	27-44-02-04	ECLASS 11.0	27-44-02-04

### Approvals

ROHS Conform

### Downloads

Engineering Data	<a href="#">STEP</a>
Engineering Data	<a href="#">EPLAN</a>
User Documentation	<a href="#">Instructions sheet HDC ModuPlug field attachable</a>
Brochure/Catalogue	<a href="#">Catalogues in PDF-format</a>

**HDC MBUS8 M AWG22**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

