

WIL-NT-STANDARD**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Power supply IP65 for WIL standard family 85V-264V AC
input, 24V DC output 400mA

General ordering data

Order No.	2598350000
Type	WIL-NT-STANDARD
GTIN (EAN)	4050118611168
Qty.	1 pc(s).

WIL-NT-STANDARD

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data

Dimensions and weights

Depth	34 mm	Depth (inches)	1.339 inch
Height	32 mm	Height (inches)	1.26 inch
Net weight	293 g	Width	100 mm
Width (inches)	3.937 inch		

Temperatures

Operating temperature	-30 - 50°C
-----------------------	------------

Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
------------	----------------

Cable technical specifications

Cable Material	TPE	Sheathing colour	black
Housing main material	PBT	Cable length	3 m
Core cross-section	0.75 mm ²		

Electric data

Rated voltage (text)	24 V DC	Rated current	1,10 A
----------------------	---------	---------------	--------

General technical data

Type of mounting	Screw mounting	Protection degree	IP65 when locked
------------------	----------------	-------------------	------------------

Material data

Housing main material	PBT	Threaded ring material	Nickel-plated CuZn
-----------------------	-----	------------------------	--------------------

Power supply / input

AC input voltage range	85...264 V AC	Input frequency	47 - 63 Hz
Input fuse (internal)	Yes	Connection system	2-wire
Version	Cable end open	Connecting thread	without
Circuitry	Blue -, Black +		

Power supply / output

Connection system	Screw connection	Output power	10 W
Rated output voltage	24 V DC	Output current, max.	0.4 A
Version	Socket connector	Connecting thread	M12
Circuitry	PIN 3: - (blue), PIN 4: + (black)		

Power supply / safety

Safety standard	SELV according to EN 60950, EN 61347-2-13	Short-circuit protection	Yes
Overload protection	Yes	Protection against over-heating	Yes
Protection class	II	Safety extra-low voltage	Yes

WIL-NT-STANDARD**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com**Technical data****Classifications**

ETIM 6.0	EC001959	ETIM 7.0	EC001959
ECLASS 9.0	27-11-06-40	ECLASS 9.1	27-11-06-40
ECLASS 10.0	27-11-06-40	ECLASS 11.0	27-11-06-40

Approvals

Approvals



ROHS

Conform

DownloadsBrochure/Catalogue [Catalogues in PDF-format](#)

WIL-NT-STANDARD

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings

Dimensioned drawing

