

PRODUCT-DETAILS

25M8-A-90

LUG 90DEG 25MM2 M8 CL A 1HL CU WHT



General Information

Extended Product Type	25M8-A-90
Product ID	7TAA302040R0005
EAN	5415022199031
Catalog Description	LUG 90DEG 25MM2 M8 CL A 1HL CU WHT
Long Description	Metric Lug, Copper, Electro-Tin Plating Finish, Class A, Cable Size 25mm Squared, Bolt Size M8, 90 Degree, White, 1 Hole

Ordering

EAN	5415022199031
-----	---------------

Dimensions

Product Net Length	0, mm
--------------------	-------

Container Information

Package Level 1 Units	50 piece
Package Level 1 Width	4.06 in 103 mm
Package Level 1 Height	3 in 76 mm
Package Level 1 Depth /	4 in

Length	102 mm
Package Level 2 Units	500 piece
Package Level 2 Width	8.5 in 216 mm
Package Level 2 Height	3.43 in 87 mm
Package Level 2 Depth / Length	21.5 in 546 mm

Additional Information

Brand / Label	Spec-Kon
Cable Size	25 mm ²
Color	White
Effective Date	20131204
Insulation Material	None
Material	Copper
Number of Batteries	0
Product Name	ELECTRICAL TERMINAL
Product Type	Metric Standard Barrel - 90 Degree Bend
Stud Size	M8
UPC	786209808035
Voltage Rating	35 kV

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	25M8-A-90
Declaration of Conformity - CE	9AKK107492A9834
Instructions and Manuals	25M8-A-90

Classifications

ETIM 6	EC001051 - Tube cable lug for copper conductors
ETIM 7	EC001051 - Tube cable lug for copper conductors
UNSPSC	39121405
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4532 >> Cable or wire lug

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

