

**HDC MPN 2****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Flexible**

The four module sizes make for individual plug solutions that save a huge amount of space. The smaller pitch translates into an optimised design too.

**General ordering data**

Version	Pneumatic module
Order No.	<a href="#">2637320000</a>
Type	HDC MPN 2
GTIN (EAN)	4050118767520
Qty.	1 pc(s).

**HDC MPN 2****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Technical data****Dimensions and weights**

Net weight 0.55 g

**Temperatures**

Limit temperature -40 °C ... 80 °C

**Environmental Product Compliance**

REACH SVHC Potassium perfluorobutane sulfonate 29420-49-3

**General data**

Material	Polycarbonate, glass fibre reinforced	Number of poles	2
Plugging cycles	≥ 500	Required plug-in slots	1
Series	ModuPlug	Type	Male, Female
UL 94 flammability rating	V-0		

**Pneumatic module**

Module operating pressure	8 bar	Inner hose diameter, min.	6 mm
Inner hose diameter, max.	6 mm		

**Version**

Type of connection Hose connection (pneumatic)

**Classifications**

ETIM 6.0	EC000438	ETIM 7.0	EC000438
ECLASS 9.0	27-44-02-20	ECLASS 9.1	27-44-02-20
ECLASS 10.0	27-44-02-20	ECLASS 11.0	27-44-02-20

**Downloads**

Approval/Certificate/Document of Conformity	<a href="#">Manufacturer's declaration</a>
Engineering Data	<a href="#">STEP</a>
Brochure/Catalogue	<a href="#">Catalogues in PDF-format</a>

**HDC MPN 2**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

