

SAIEND 1/2/4 M8G 4P**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

SAI – logic module These devices allow the combination of signals by means of an AND or an OR gate. This function leads to a reduction in the amount of wiring. The required inputs to the PLC can be reduced by up to 6 inputs. This process therefore saves the amount of wiring and material in the field.

General ordering data

Version	Sensor/Actuator plug-in connector, M8
Order No.	2662510000
Type	SAIEND 1/2/4 M8G 4P
GTIN (EAN)	4050118677386
Qty.	1 pc(s).

SAIEND 1/2/4 M8G 4P**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com**Technical data****Dimensions and weights**

Net weight	50 g
------------	------

Temperatures

Operating temperature	-25 - 85°C
-----------------------	------------

Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
------------	----------------

General technical data

Protection degree	IP67	Number of poles	4
Connection thread	M8	Pollution severity	3
Plugging cycles	≥ 100		

Technical data cable

Number of poles	4
-----------------	---

Classifications

ETIM 6.0	EC000448	ETIM 7.0	EC000448
ECLASS 9.0	19-07-04-03	ECLASS 9.1	19-17-01-90
ECLASS 10.0	19-07-04-03	ECLASS 11.0	19-07-04-03

Downloads

Brochure/Catalogue	Catalogues in PDF-format
--------------------	--

SAIEND 1/2/4 M8G 4P

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Drawings

