

**THM GEW 20/10 WS****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)

THM GEW woven-fabric labels are made from a very flexible cotton fabric. Delivery on reels for use with thermal transfer printers enables an adhesive layer which is thicker than that of A4 sheets for office laser printers. Together, this flexibility and the thick adhesive layer ensure higher adhesive strength and enable use on angular or round objects such as e.g. cables or hoses.

**General ordering data**

|                    |                                                       |
|--------------------|-------------------------------------------------------|
| Version            | THM, Device markers, 10 x 20 mm, white                |
| Order No.          | <a href="#">2712020000</a>                            |
| Type               | THM GEW 20/10 WS                                      |
| GTIN (EAN)         | 4050118749915                                         |
| Qty.               | 5,000 pc(s).                                          |
| compatible printer | <a href="#">2599430000</a> <a href="#">2599440000</a> |

## THM GEW 20/10 WS

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Technical data

## Dimensions and weights

|                |            |                 |            |
|----------------|------------|-----------------|------------|
| Depth          | 0.15 mm    | Depth (inches)  | 0.006 inch |
| Height         | 10 mm      | Height (inches) | 0.394 inch |
| Net weight     | 0.084 g    | Width           | 20 mm      |
| Width (inches) | 0.787 inch |                 |            |

## Temperatures

|                             |             |
|-----------------------------|-------------|
| Operating temperature range | -29...80 °C |
|-----------------------------|-------------|

## General data

|                                   |                         |                                   |                               |
|-----------------------------------|-------------------------|-----------------------------------|-------------------------------|
| Adhesive                          | Natural rubber adhesive | Approval acc. to UL 969           | No                            |
| Colour                            | white                   | Halogen                           | No                            |
| Material                          | Cotton fabric           | Number of markers per combination | 1 Label reel = Device markers |
| Number per roll                   | 5,000                   | Operating temperature range       | -29...80 °C                   |
| Operating temperature range, max. | 80 °C                   | Operating temperature range, min. | -29 °C                        |
| UL 94 flammability rating         | V-0                     | Version                           | Self-adhesive                 |
| Width                             | 20 mm                   |                                   |                               |

## Device markers

|         |    |
|---------|----|
| Halogen | No |
|---------|----|

## Classifications

|             |             |             |             |
|-------------|-------------|-------------|-------------|
| ETIM 6.0    | EC001288    | ETIM 7.0    | EC001288    |
| ECLASS 9.0  | 27-40-06-29 | ECLASS 9.1  | 27-40-06-29 |
| ECLASS 10.0 | 27-40-06-29 | ECLASS 11.0 | 27-28-11-04 |

## Approvals

|      |         |
|------|---------|
| ROHS | Conform |
|------|---------|

## Downloads

|                    |                                          |
|--------------------|------------------------------------------|
| Brochure/Catalogue | <a href="#">Catalogues in PDF-format</a> |
|--------------------|------------------------------------------|

### THM GEW 20/10 WS

**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)

## Drawings

