

Resistance thermometer measuring transducer - MINI MCR-SL-PT100-UI-SP-NC - 2864286

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Measurement and control temperature transducer for Pt 100 temperature sensors, configured via DIP switches, with spring-cage connection, not pre-configured. Replacement part: 2902052 MINI MCR-2-RTD-UI-PT.

Product Description

The narrow 6.2 mm MINI MCR-SL-PT100-UI... is a configurable, 3-way isolated temperature transducer. It is suitable for connecting Pt 100 resistance temperature detectors in accordance with IEC 60751 in 2-, 3-, and 4-conductor connection technology.

Electrically isolated 0 ... 20 mA, 4 ... 20 mA, 0 ... 10 V, 0 ... 5 V, 1 ... 5 V, 10 ... 0 V, 20 ... 0 mA or 20 ... 4 mA standard analog signals are available on the output side.

The DIP switches, which can be accessed on the side of the housing, are used to configure the following parameters:

- Connection technology
- Temperature range to be measured
- Output signal
- Type of error evaluation

Power (19.2 V DC to 30 V DC) can either be supplied via the connection terminal blocks of the modules or in conjunction with the DIN rail connector.

Your advantages

- ✓ Power supply possible via the foot element (TBUS)
- ✓ For 2-, 3-, 4-conductor Pt 100 sensors in accordance with IEC 60751
- ✓ Error indication via diagnostic LED and analog signal
- ✓ Temperature measuring range of -150°C to +850°C
- ✓ Input and output signals can be configured via DIP switches
- ✓ 3-way isolation
- ✓ Pt 100 signals to create standard signals
- ✓ Highly-compact temperature transducer for electrical isolation, conversion, amplification, and filtering of



Key Commercial Data

Packing unit	1 pc
GTIN	 4 017918 974824

Resistance thermometer measuring transducer - MINI MCR-SL-PT100-UI-SP-NC - 2864286

GTIN	4017918974824
Weight per Piece (excluding packing)	67.500 g
Custom tariff number	85437090
Country of origin	Germany