


PRODUCT-DETAILS

S804PV-SD32

S804PV-SD32 High Performance MCB



General Information

Extended Product Type	S804PV-SD32
Product ID	2CCF019640R0001
EAN	7612271472054
Catalog Description	S804PV-SD32 High Performance MCB
Long Description	S804PV-SD32 4 Pole DC main switch 32A 1.5kA 1500VDC DC main switch

Technical

Standards	IEC/EN 60947-3
Number of Poles	4
Rated Current (I_n)	32 A
Rated Operational Voltage	800...800 V
Power Loss	7.2 W at Rated Operating Conditions per Pole 1.8 W
Degree of Protection	Front IP20

Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Dimensions

Product Net Width	106 mm
Product Net Depth / Length	82.5 mm
Product Net Height	95 mm
Product Net Weight	980 g

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 Width	105 mm
Package Level 1 Depth / Length	111 mm
Package Level 1 Height	99 mm
Package Level 1 Gross Weight	1030 g
Package Level 1 EAN	7612271472054

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85353020
E-Number (Sweden)	2100087

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	2CCC413059D0201
Environmental Information	2CCY413207D0203
Instructions and Manuals	2CCC413016M0008
RoHS Information	2CCC413059D0201 9AKK107680A3903

Popular Downloads

Data Sheet, Technical Information	2CCC413003C0208
Instructions and Manuals	2CCC413016M0008

Classifications

Object Classification Code	F
ETIM 6	EC000216 - Switch disconnecter
ETIM 7	EC000216 - Switch disconnecter
ETIM 8	EC000216 - Switch disconnecter

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Command and Signalling devices → Switch Disconnectors

Low Voltage Products and Systems → Modular DIN Rail Products → High Performance Circuit Breakers HPCBs

