

PRODUCT-DETAILS

## IS40463

## IS40463 Switch Disconnector



General Information		
Extended Product Type	IS40463	
Product ID	2CCF544160E0630	
EAN	7612270104390	
Catalog Description	IS40463 Switch Disconnector	
Long Description	IS40463 Switch Disconnector 4 Poles Rated current In 63A 230/400VAC SMISSLINE TP- Touch proof system	

Ordering	
550510503	
7612270104390	
1 piece	
85362020	

Dimensions	
Product Net Width	72 mm
Product Net Height	91 mm
Product Net Length	72 mm
Product Net Depth / Length	75 mm
Product Net Weight	380 g

Container Information	
Package Level 1 Units	carton 1 piece
Package Level 1 Width	100 mm
Package Level 1 Height	90 mm
Package Level 1 Depth / Length	75 mm
Package Level 1 Gross Weight	438 g
Package Level 1 EAN	7612270104390

## **Environmental**

RoHS Status

Following EU Directive 2002/95/EC August 18, 2005 and amendment

Additional Information	
tection	Front IP20
les	4
vitches	4
	3.2 W
Туре	IS404
2	Switch Disconnector
t (In)	63 A
ional	63 A
ional A (I <sub>e</sub> )	(400 V) 63 A
ional	230400 V
ime rrent (I <sub>cw</sub> )	1.5 kA
rupted	63 A
	20170426
	IEC/EN 60947-3

Certificates and Declarations (Document Number)	
Data Sheet, Technical Information	9AKK107492A6192
Declaration of Conformity - CE	2CCC451039D0201
Environmental Information	2CCY451206D0201
Instructions and Manuals	2CCC451032M0109
RoHS Information	2CCC413008D0206_RoHS
Dimension Diagram	9AKK107492A6192

Classifications	
ETIM 4	EC000216 - Switch disconnector
ETIM 5	EC000216 - Switch disconnector
ETIM 6	EC000216 - Switch disconnector
ETIM 7	EC000216 - Switch disconnector
Object Classification Code	SF

## **Categories**

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Modular\ DIN\ Rail\ Products\ \rightarrow\ Plug-in\ Distribution\ Systems\ \rightarrow\ Others$   $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Modular\ DIN\ Rail\ Products\ \rightarrow\ Plug-in\ Distribution\ Systems\ \rightarrow\ Residual\ Current\ Devices\ RCDs$ 

