

PRODUCT-DETAILS

EUB/S1.1

EUB/S1.1 EIB Monitoring Unit, MDRC



General Information

Extended Product Type	EUB/S1.1
Product ID	2CDG110066R0011
EAN	4016779649919
Catalog Description	EUB/S1.1 EIB Monitoring Unit, MDRC
Long Description	Monitors up to 100 bus devices in KNX systems, which can be divided into 5 groups. The devices are monitored to ensure their presence and minimum functionality (send and receive). Monitoring can be undertaken based on the physical address or the group address. A total of four different monitoring modes are available. No additional power supply required, the device is powered from KNX bus.

Ordering

EAN	4016779649919
Customs Tariff Number	85389091
Minimum Order Quantity	1 piece
E-Number (Switzerland)	405680205
E-Number (Finland)	3575107
E-Number (Sweden)	1757030

Dimensions

Product Net Depth / Length	64.5 mm
Product Net Height	90 mm

Product Net Width	36 mm
Product Net Weight	0.095 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 EAN	4016779649919
Package Level 1 Depth / Length	41 mm
Package Level 1 Height	65 mm
Package Level 1 Width	92 mm
Package Level 1 Gross Weight	0.12 kg

Technical

Compatible Bus Systems	KNX (TP)
Degree of Protection	IP20
Mounting Type	DIN-rail

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	2CDC513025D0202 2CDC513028D0201
Instructions and Manuals	2CDG941020P0002
Declaration of Conformity - CE	2CDK513046D2701
RoHS Information	2CDK513046D2701

Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Classifications

ETIM 5	EC000676 - Logic component for bus system
ETIM 6	EC000676 - Logic component for bus system
ETIM 7	EC000676 - Logic component for bus system
eClass	V11.0 : 27143103
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
UNSPSC	32151705
IDEA Granular Category Code (IGCC)	3567 >> PLC function/technology module

Categories

Low Voltage Products and Systems → Home and Building Automation → KNX → Safety and Monitoring → Fault Monitoring and Data Logging

