


PRODUCT-DETAILS

LR/S4.16.1

LR/S4.16.1 Light Controller, 4-fold, 1-10 V, MDRC



Ogólne informacje

Extended Product Type	LR/S4.16.1
ID Produktu	2CDG110088R0011
Numer EAN	4016779664899
Opis katalogowy	LR/S4.16.1 Light Controller, 4-fold, 1-10 V, MDRC
Opis	Device for switching and dimming four independent groups of luminaries with electronic ballasts (0 - 10 V control input). When combined with the light sensor LF/U 2.1 the device can be used as a 4-fold light controller for constant lightcontrol.

Charakterystyka zamówienia

Numer EAN	4016779664899
Kod taryfy celnej	90328900
Minimalna ilość zamówienia	1 sztuka
E-Number (Switzerland)	405670215
E-Number (Finland)	2815151
E-Number (Sweden)	1750189

Wymiary

Głębokość produktu netto	64.5 mm
Wysokość produktu netto	90 mm
Szerokość produktu netto	108 mm

Waga produktu netto	0.33 kg
---------------------	---------

Informacje o pakowaniu

Jednostka opakowania (poziom 1)	box 1 sztuka
EAN opakowania (poziom 1)	4016779664899
Długość opakowania (poziom 1)	113 mm
Wysokość opakowania (poziom 1)	65 mm
Szerokość opakowania (poziom 1)	92 mm
Waga opakowania brutto (poziom 1)	0.4 kg

Dane techniczne

Compatible Bus Systems	KNX (TP)
Stopień ochrony obudowy	IP20
Rodzaj montażu	DIN-rail

Certyfikaty i deklaracje (Numer dokumentu)

Arkusze danych, informacja techniczna	2CDC507087D0201
Instrukcje i podręczniki	2CDG941051P0003
Deklaracja zgodności - CE	2CDK507021D2701
Dane RoHS	2CDK507021D2701

Normy środowiskowe

Status RoHS	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Klasyfikacje

ETIM 5	EC001095 - Light control unit for bus system
ETIM 6	EC001095 - Light control unit for bus system
ETIM 7	EC001095 - Light control unit for bus system
eClass	V11.0 : 27143134
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Kategorie

Produkty niskiego napięcia i systemy → Home and Building Automation → KNX → Lighting Control → 1-10V Switch / Dim Actuators and Light Controllers

