

## PRODUCT-DETAILS

# NTI/Z28.30.1

## NTI/Z28.30.1 Commissioning Power Supply, 28 V DC, 30 mA



### Ogólne informacje

|                       |                                                                                                                                                                                         |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | NTI/Z28.30.1                                                                                                                                                                            |
| ID Produktu           | 2CDG110096R0011                                                                                                                                                                         |
| Numer EAN             | 4016779663168                                                                                                                                                                           |
| Opis katalogowy       | NTI/Z28.30.1 Commissioning Power Supply, 28 V DC, 30 mA                                                                                                                                 |
| Opis                  | The device is used for on site commissioning of KNX devices should KNX system voltage be unavailable. The most important functions of a KNX device with manual operation can be tested. |

### Charakterystyka zamówienia

|                            |               |
|----------------------------|---------------|
| Numer EAN                  | 4016779663168 |
| Kod taryfy celnej          | 85044090      |
| Minimalna ilość zamówienia | 1 sztuka      |
| E-Number (Switzerland)     | 405800305     |
| E-Number (Finland)         | 2815215       |
| E-Number (Sweden)          | 1750021       |

### Wymiary

|                          |       |
|--------------------------|-------|
| Głębokość produktu netto | 55 mm |
|--------------------------|-------|

|                          |         |
|--------------------------|---------|
| Wysokość produktu netto  | 25.5 mm |
| Szerokość produktu netto | 55 mm   |
| Waga produktu netto      | 0.12 kg |

## Informacje o pakowaniu

|                                      |               |
|--------------------------------------|---------------|
| Jednostka opakowania<br>(poziom 1)   | box 1 sztuka  |
| EAN opakowania (poziom<br>1)         | 4016779663168 |
| Długość opakowania<br>(poziom 1)     | 77 mm         |
| Wysokość opakowania<br>(poziom 1)    | 65 mm         |
| Szerokość opakowania<br>(poziom 1)   | 92 mm         |
| Waga opakowania brutto<br>(poziom 1) | 0.14 kg       |

## Dane techniczne

|                         |           |
|-------------------------|-----------|
| Compatible Bus Systems  | KNX (TP)  |
| Stopień ochrony obudowy | IP20      |
| Rodzaj montażu          | Accessory |

## Certyfikaty i deklaracje (Numer dokumentu)

|                                          |                 |
|------------------------------------------|-----------------|
| Arkusze danych, informacja<br>techniczna | 2CDC501040D0201 |
| Instrukcje i podręczniki                 | 2CDC501040D0201 |
| Deklaracja zgodności - CE                | 2CDK501012D2701 |
| Dane RoHS                                | 2CDK501012D2701 |

## Normy środowiskowe

|             |                                   |
|-------------|-----------------------------------|
| Status RoHS | Following EU Directive 2011/65/EU |
|-------------|-----------------------------------|

## Klasyfikacje

|                                       |                                                            |
|---------------------------------------|------------------------------------------------------------|
| ETIM 5                                | EC000675 - Power supply for bus system                     |
| ETIM 6                                | EC000675 - Power supply for bus system                     |
| ETIM 7                                | EC000675 - Power supply for bus system                     |
| eClass                                | V11.0 : 27143114                                           |
| WEEE Category                         | 5. Small Equipment (No External Dimension More Than 50 cm) |
| UNSPSC                                | 39121004                                                   |
| IDEA Granular Category<br>Code (IGCC) | 4127 >> Power supply units                                 |

---

## Kategorie

---

Produkty niskiego napięcia i systemy → Home and Building Automation → KNX → Power Supply → KNX Power Supplies

