

PRODUCT-DETAILS

IO/S4.6.1.1

IO/S4.6.1.1 I/O Actuator, 4-fold, MDRC



General Information

Extended Product Type	IO/S4.6.1.1
Product ID	2CDG110168R0011
EAN	4016779881074
Catalog Description	IO/S4.6.1.1 I/O Actuator, 4-fold, MDRC
Long Description	For the control of loads in residential areas, typically in hotel rooms and apartments. The I/O Actuators provide binary inputs for the connection of conventional push-buttons and outputs for switching loads. Inputs and outputs can be internally connected by ETS. By integrating the devices into KNX networks further functions can be realised: e.g. central control or room based emergency calls to a control centre.

Ordering

EAN	4016779881074
Customs Tariff Number	85371091
Minimum Order Quantity	1 piece
E-Number (Switzerland)	405443405
E-Number (Finland)	2815272
E-Number (Sweden)	1738024

Dimensions

Product Net Depth / Length	64.5 mm
Product Net Height	90 mm

Product Net Width	72 mm
Product Net Weight	0.17 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 EAN	4016779881074
Package Level 1 Depth / Length	77 mm
Package Level 1 Height	65 mm
Package Level 1 Width	92 mm
Package Level 1 Gross Weight	0.22 kg

Technical

Compatible Bus Systems	KNX (TP)
Degree of Protection	IP20
Mounting Type	DIN-rail

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	2CDC505144D0201
Instructions and Manuals	2CDG941096P0002
Declaration of Conformity - CE	2CDK505142D2701
RoHS Information	2CDK505142D2701

Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Classifications

ETIM 5	EC001584 - I/O device for bus system
ETIM 6	EC001584 - I/O device for bus system
ETIM 7	EC001584 - I/O device for bus system
eClass	V11.0 : 27143145
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Home and Building Automation → KNX → Standard Outputs → Switch Actuators 6 A

