

PRODUCT-DETAILS

ABA/S1.2.1

ABA/S1.2.1 Logic Controller, MDRC



Ogólne informacje

Extended Product Type	ABA/S1.2.1
ID Produktu	2CDG110192R0011
Numer EAN	4016779929936
Opis katalogowy	ABA/S1.2.1 Logic Controller, MDRC
Opis	Provides extensive logic functions. The logic editor is integrated into the ETS. Up to 3000 logic gates are possible. Simulation for testing. User-defined function blocks can be created and saved. Requires 24 V DC auxiliary voltage or PoE alternatively.

Charakterystyka zamówienia

Numer EAN	4016779929936
Kod taryfy celnej	85371091
Minimalna ilość zamówienia	1 sztuka
E-Number (Switzerland)	405670115
E-Number (Finland)	2815597
E-Number (Sweden)	1739158

Wymiary

Głębokość produktu netto	63.5 mm
--------------------------	---------

Wysokość produktu netto	90 mm
Szerokość produktu netto	70 mm
Waga produktu netto	0.192 kg

Informacje o pakowaniu

Jednostka opakowania (poziom 1)	box 1 sztuka
EAN opakowania (poziom 1)	4016779929936
Długość opakowania (poziom 1)	78 mm
Wysokość opakowania (poziom 1)	66 mm
Szerokość opakowania (poziom 1)	95 mm
Waga opakowania brutto (poziom 1)	0.228 kg

Dane techniczne

Compatible Bus Systems	KNX (TP)
Stopień ochrony obudowy	IP20
Rodzaj montażu	DIN-rail

Certyfikaty i deklaracje (Numer dokumentu)

Arkusze danych, informacja techniczna	2CDC509078D0211
Instrukcje i podręczniki	2CDG941180P0002
Deklaracja zgodności - CE	2CDK509079D2701
Dane RoHS	2CDK509079D2701

Normy środowiskowe

Status RoHS	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Klasyfikacje

ETIM 5	EC000676 - Logic component for bus system
ETIM 6	EC000676 - Logic component for bus system
ETIM 7	EC000676 - Logic component for bus system
eClass	V11.0 : 27143103
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
UNSPSC	32151705
IDEA Granular Category Code (IGCC)	3567 >> PLC function/technology module

Kategorie

Produkty niskiego napięcia i systemy → Home and Building Automation → KNX → Automation, Logic and Time Control → Logic and Application Controllers

