

PRODUCT-DETAILS

SA/S2.6.2.2

SA/S2.6.2.2 Switch Actuator, 2-fold, 6 A, MDRC



General Information

Extended Product Type	SA/S2.6.2.2
Product ID	2CDG110253R0011
EAN	4016779066716
Catalog Description	SA/S2.6.2.2 Switch Actuator, 2-fold, 6 A, MDRC
Long Description	The switch actuator uses potential free contacts to switch 2 independent electrical loads via the ABB i-bus® KNX. The device features a manual operation and displaying of the switching state of the outputs. The 6 A device is especially suited to switch resistive, inductive or capacitive loads. The device is powered by KNX and requires no additional power supply.

Ordering

EAN	4016779066716
Customs Tariff Number	85371091
Minimum Order Quantity	1 piece
E-Number (Switzerland)	405 660 025
E-Number (Finland)	2814688
E-Number (Sweden)	1739891

Dimensions

Product Net Depth / Length	63.5 mm
Product Net Height	90 mm

Product Net Width	36 mm
Product Net Weight	0.13 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 EAN	4016779066716
Package Level 1 Depth / Length	78 mm
Package Level 1 Height	58 mm
Package Level 1 Width	90 mm
Package Level 1 Gross Weight	0.197 kg

Technical

Compatible Bus Systems	KNX (TP)
Degree of Protection	IP20
Mounting Type	DIN-rail

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	2CDC505184D0211
Instructions and Manuals	2CDG941213P0001
Declaration of Conformity - CE	2CDK505250D2701
RoHS Information	2CDK505250D2701

Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Classifications

ETIM 5	EC001097 - Switch actuator for bus system
ETIM 6	EC001097 - Switch actuator for bus system
ETIM 7	EC001097 - Switch actuator for bus system
eClass	V11.0 : 27143125
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
UNSPSC	31251516
IDEA Granular Category Code (IGCC)	3268 >> Switch actuator

Categories

Low Voltage Products and Systems → Home and Building Automation → KNX → Standard Outputs → Switch Actuators 6 A

