

PRODUCT-DETAILS

SA/S2.16.5.2

SA/S2.16.5.2 Switch Actuator, 2-fold, 16 A, C-Load, MDRC



General Information

Extended Product Type	SA/S2.16.5.2
Product ID	2CDG110265R0011
EAN	4016779066457
Catalog Description	SA/S2.16.5.2 Switch Actuator, 2-fold, 16 A, C-Load, MDRC
Long Description	The switch actuator uses potential free contacts to switch 2 independent electrical loads via the ABB i-bus® KNX. The device features a manual operation and displaying of the switching state of the outputs. The 16/20 A, 16 A-AC3 (C-load) device is especially suited for loads with high surge currents e.g. flourescent lighting acc. EN 60669.

Ordering

EAN	4016779066457
Customs Tariff Number	85371091
Minimum Order Quantity	1 piece
E-Number (Switzerland)	405 667 025
E-Number (Finland)	2815621
E-Number (Sweden)	1739951

Dimensions

Product Net Depth / Length	63.5 mm
Product Net Height	90 mm

Product Net Width	36 mm
Product Net Weight	0.14 kg

Container Information

Package Level 1 Units	box 1 piece
Package Level 1 EAN	4016779066457
Package Level 1 Depth / Length	78 mm
Package Level 1 Height	58 mm
Package Level 1 Width	90 mm
Package Level 1 Gross Weight	0.207 kg

Technical

Compatible Bus Systems	KNX (TP)
Degree of Protection	IP20
Mounting Type	DIN-rail

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	2CDC505196D0211
Instructions and Manuals	2CDG941216P0001
Declaration of Conformity - CE	2CDK505242D2701
RoHS Information	2CDK505242D2701

Environmental

RoHS Status	Following EU Directive 2011/65/EU
-------------	-----------------------------------

Classifications

ETIM 5	EC001097 - Switch actuator for bus system
ETIM 6	EC001097 - Switch actuator for bus system
ETIM 7	EC001097 - Switch actuator for bus system
eClass	V11.0 : 27143125
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
UNSPSC	31251516
IDEA Granular Category Code (IGCC)	3268 >> Switch actuator

Categories

Low Voltage Products and Systems → Home and Building Automation → KNX → Standard Outputs → Switch Actuators 16/20 A

